Index

Subject

acitretin skin cancer prophylaxis in renal transplant recipients 656
acne
  and ageing (Poster) 809
  efficacy of low salt water in irritation caused by retinoic acid (Poster) 808
  following childhood cardiac surgery (Case Report) 734
  psychological and emotional impact and effect of isotretinoin treatment 273
  quality of life 672
  topical retinaldehyde with erythromycin (Poster) 809
acquired reactive perforating collagenosis and diabetes mellitus (Case Report) 521
acropathia ulcero-mutilans acquisita of the upper limbs (Case Report) 334
actigraph assay of itch (Poster) 806
actinic prurigo and polymorphic light eruption 232
Adams–Oliver syndrome (Case Report) 1157
adhesive dressings, assessment of damage caused by repeated application and removal (Poster) 806
adult T-cell leukaemia/lymphoma, purified protein derivative therapy (Correspondence) 767
Agaricus bisporus, antiproliferative effects of lectin on human keratinocytes 56
ageing and acne (Poster) 809
ALA, pharmacokinetics and phototoxicity (Abstract) 784
ALA-n-pentylester, pharmacokinetics and phototoxicity (Abstract) 784
allopurinol-induced sarcoidosis (Correspondence) 1184
alopecia, postmenopausal frontal fibrosing (Correspondence) 1181
alopecia areata, DEBR model, effect of CD4+ T cell depletion 432
amorolfine in *Scytalidium hyalinum* onychomycosis (Correspondence) 555
amyloidosis
  familial primary localized (Correspondence) 545
  primary cutaneous, apoptosis in 210
anaemia in epidermolysis bullosa (Correspondence) 773
anetoderma and juvenile xanthogranuloma (Correspondence) 541
angioendotheliomatosis, reactive (Case Report) 496
angiogenic factors in psoriasis-derived fibroblasts and keratinocytes (Abstract) 791
angiolymphoid hyperplasia with eosinophilia and arteriovenous malformation (Case Report) 1153
angio-oedema with NK cell lymphocytosis and strongyloidosis (Correspondence) 1178
angiosarcoma
  absence of human herpesvirus 8 (Correspondence) 170
  metastatic, regression following treatment with doxorubicin and IFN-α (Correspondence) 1187
anorexia nervosa and pruritus 452
anthralin inflammation, inducible nitric oxide synthase and MHCII (Abstract) 791
anticonvulsant hypersensitivity syndrome with epoxide hydrolase deficiency (Correspondence) 181
antiepiligrin production by gastric carcinoma in cicatricial pemphigoid (Case Report) 696
antihistamines in eosinophilic fasciitis with autoimmune thyroid disease and myelodysplasia (Correspondence) 1185
antiphospholipid syndrome, cutaneous papules and nodules (Case Report) 725
antiretroviral therapy
  effect on AIDS-associated Kaposi's sarcoma 875
  effect on sarcoidosis in HIV infection (Correspondence) 1185
  paronychia associated (Case Report) 1165
  response of HIV-associated pityriasis rubra pilaris (Case Report) 931
anti-SS-A/Ro antibodies in facial annular erythema (Case Report) 136
anxiety in atopic dermatitis 268
apoptosis
  associated with regression in Bowen's disease (Case Report) 939
  in burn wound healing 829
  dose dependent induction in UV irradiated skin (Poster) 798
  in primary cutaneous amyloidosis 210
  xeroderma pigmentosum fibroblast susceptibility to following UVB irradiation 1031
argyria, X-ray microanalysis of selenium and sulphur in silver-laden granules (Case Report) 158
arteriovenous malformation with angiolymphoid hyperplasia and eosinophilia (Case Report) 1153
atopic dermatitis
  anxiety and life quality 268
  borage oil therapy (Concise Communication) 685
  child–family relationships and emotional dysfunction (Review) 381
  chronic hand, mometasone furoate therapy 882
  circulating activation markers following phototherapy (Correspondence) 966
  E-selectin and eosinophil cationic protein as serum markers 67
  enhanced superantigen-mediated T cell proliferation (Abstract) 790
  environmental factors and UK diagnostic criteria (Abstract) 535
  with infective endocarditis (Correspondence) 1193
  measurement of body surface area involvement (Concise Communication) 109
  mite allergen levels 651
  moderate to severe, topical fluticasone propionate therapy 1114

modified Rajka and Langeland severity assessment (MRLSA) (Abstract) 537
overexpression of IL-15 and IFN-β (Abstract) 793
pilocarpine-induced vs. emotional sweat secretion 1110
prevalence in Australian school students 467
rapid whole blood flow cytometric assay (Poster) 801
with Sézary syndrome (Case Report) 704
skin barrier function following moisturizing cream treatment 264
atopy score and development of hand eczema in trainee metal workers (Concise Communication) 922
Australian school students
prevalence of atopic dermatitis 467
prevalence of tinea pedis 897
autoimmune bullous disease antigens, characteristics (Poster) 805
autoimmune bullous diseases
common genetic base within a family (Case Report) 322
high dose intravenous immune globulin therapy 865
autoimmune thyroid disease with myelodysplasia and eosinophilic fasciitis, methylprednisolone and antihistamine therapy (Correspondence) 1185
autologous serum skin test in chronic idiopathic urticaria 445
autologous whole blood intramuscular injection in chronic urticaria (Correspondence) 1192

B-cell lymphoma
associated with cyclosporin therapy (Correspondence) 763
with chronic lymphatic leukaemia (Case Report) 708
intestinal, with cutaneous T-cell lymphoma (Correspondence) 972
basal cell carcinoma
CD44 expression 17
cytokeratin expression 8
with malignant melanoma (Correspondence) 360
melanoma-associated chondroitin sulphate proteoglycan expression (Abstract) 794
multiple (Poster) 799
and hairy cell leukaemia (Case Report) 150
overexpression of human homologue of *Drosophila patched (PTCH)* (Concise Communication) 287
p53 clonal patches adjacent to (Poster) 799
penis (Correspondence) 361
periocular, Mohs' surgery (Correspondence) 775
polypoid (Case Report) 701
basement membrane antigens in epidermal/dermal composite production 605
bath-PUVA
persistence of photosensitivity following (Abstract) 785
in pityriasis rubra pilaris (Correspondence) 769
Behçet's disease, cutaneous changes resembling polyarteritis nodosa (Correspondence) 368
benzodiazepine receptors, peripheral, expression in human skin 1010
blue naevi, eruptive disseminated of the scalp (Correspondence) 178
borage oil therapy in atopic dermatitis (Concise Communication) 685
Borrelia afzelii isolation from circumscribed scleroderma (Case Report) 925
botulinum A toxin therapy in hyperhidrosis 677
bowenoid papulosis, facial, secondary to HPV infection (Correspondence) 761
Bowen's disease
leg, fluorouracil therapy (Correspondence) 987
regression associated with apoptosis (Case Report) 939
BP180, IgA antibodies against in childhood bullous pemphigoid (Case Report) 112
BP230, IgA antibodies against in childhood bullous pemphigoid (Case Report) 112
BrdU labelling of epidermal proliferation following TPA administration (Poster) 803
breast cancer, post-treatment forearm cutaneous lymphatic network (Poster) 807
British Epidermo-Epidemiology Society, Abstracts of the Eighth Meeting 535
British Society for Investigative Dermatology, Abstracts of 1999 Annual Meeting 783
brucellosis, relapsing leucocytoclastic vasculitis in (Correspondence) 1177
Buerger's disease, treatment of digital ulceration with nicotine chewing gum (Correspondence) 187
bullous pemphigoid
childhood, IgA antibodies against BP180 or BP230 antigens (Case Report) 112
Chinese HLA associations (Poster) 804
with cholangiocarcinoma (Correspondence) 1180
dermal binding, target antigens (Poster) 803
paraneoplastic resembling erythema gyratum repens (Correspondence) 550
skin cytokine characterization 1079
urinary IgG antibasement membrane zone antibodies (Poster) 804
burn wound healing, apoptosis and p53 expression 829

C-fibres, neuropeptide-containing, and wound healing 400
c-kit
exon 11 and exon 17 in urticaria pigmentosa (Concise Communication) 1130
in familial urticaria pigmentosa 849
calcinosis cutis following calcium gluconate intravenous infusion (Correspondence) 184
calcium gluconate, calcinosis cutis following intravenous infusion (Correspondence) 184
cardiac surgery, striae and acne following (Case Report) 734
cardiac transplant recipient, Majocchi's granuloma (Correspondence) 1194
CD44 glycoprotein adhesion molecule expression in basal cell carcinoma 17
cetirizine, urticarial reaction induced by (Correspondence) 979
child–family relationships and childhood atopic dermatitis (Review) 381

2-chloracetophenone tear gas and occupational contact dermatitis (Case Report) 531
cholangiocarcinoma with bullous pemphigoid (Correspondence) 1180
chondroitin sulphate proteoglycan, melanoma-associated, expression in normal skin and basal cell carcinoma (Abstract) 794
chronic lymphatic leukaemia with B-cell lymphoma (Case Report) 708
cicatricial pemphigoid
association with laminin 5-producing gastric carcinoma (Case Report) 696
immunoglobulin antibasement membrane antibodies and disease activity 645
oesophageal, antibody response characterisation 859
target antigens (Poster) 803
Citrus hystrix, phytophotodermatitis following application (Case Report) 737
Clouston's hidrotic ectodermal dysplasia, single genetic locus (Correspondence) 963
coagulase-negative staphylococci cultured from deep hidradenitis suppurativa lesions 90
coccidioidomycosis in Malaysia (Correspondence) 557
colchicine in Sweet's syndrome (Correspondence) 565
collagen type VI distribution and photoageing (Abstract) 785
comedones, familial dyskeratotic (Case Report) 956
Comel–Netherton syndrome with HPV-associated skin lesions (Case Report) 1139
common variable immunodeficiency, cutaneous and hepatic granuloma (Correspondence) 546
congenital insensitivity to pain with anhidrosis, substance P receptor deficiency (Correspondence) 190
connexin distribution in benign and malignant skin tumours (Poster) 799
contact dermatitis to 2-chloracetophenone tear gas (Case Report) 531
contact hypersensitivity, murine, activation of Langerhans cells and dendritic epidermal T cells 392
copper, *in vitro* modulation of keratinocyte wound healing integrins 26
corticosteroids
in eosinophilic fasciitis with autoimmune thyroid disease and myelodysplasia (Correspondence) 1185
topical, in mild pemphigus foliaceus and pemphigus vulgaris (Concise Communication) 1127
cryosurgery, pyogenic granuloma as complication (Correspondence) 373
curettage–cryosurgery for non-melanoma skin cancer of external ear (Concise Communication) 291
cutaneous T-cell lymphoma
γ T-cell receptor genes (Correspondence) 766
with intestinal B-cell lymphoma (Correspondence) 972
phototherapy (Correspondence) 768
pseudoepitheliomatous hyperplasia in 421
cyclooxygenase-2 expression induction in keratinocytes by UV radiation 1017
cyclosporin
B-cell lymphoma associated with therapy (Correspondence) 763
in combination with hydroxyurea in severe recalcitrant psoriasis (Correspondence) 186
Mees' lines due to (Correspondence) 1198
and pregnancy (Correspondence) 1197
cyst, pigmented follicular, with degenerating pigmented hair shafts (Correspondence) 364
cytokeratin
expression in basal cell carcinoma 8
expression in trichoblastic fibroma (trichoblastoma) 8
expression in trichoepithelioma 8
cytokeratin antigen 20 expression in Paget's disease (Correspondence) 1169
cytokines
characterization in pemphigus vulgaris and bullous pemphigoid 1079
role in lesional skin in linear IgA bullous dermatosis 1072
cytotoxic T-cells
antigen-4 gene microsatellite polymorphism in vitiligo 73
skin-homing melanocyte-specific in vitiligo (Abstract) 790

Darier disease, chromosomal mapping (Abstract) 793
Der p1 household levels in atopic dermatitis 651
dermatology departments, prescribing in (Concise Communication) 681
dermatomyositis, seborrhoeic pattern (Correspondence) 978
desmogleins
in pemphigus lesions 35
recombinant, in serodiagnosis of pemphigus (Fast-track Paper) 351
diabetes mellitus
and acquired reactive perforating collagenosis (Case Report) 521
and necrobiosis lipoidica 283
discoid lupus erythematosus, seborrhoeic facial distribution (Correspondence) 560
dithranol-induced inflammation, measurement (Abstract) 792
DNA
catalytic (Abstract) 788
mitochondrial
patterns of deletions in human skin (Abstract) 788
photoageing-associated common deletion (Abstract) 788
doxorubicin therapy of metastatic angiosarcoma (Correspondence) 1187
Drosophila patched (PTCH), overexpression of human homologue in basal cell carcinoma (Concise Communication) 287
dyschromatosis symmetrica hereditaria (Case Report) 490

E-selectin as serum marker in atopic dermatitis 67
ear
external, curettage–cryosurgery for non-melanoma skin cancer (Concise Communication) 291
purpura in levamisole therapy (Case Report) 948
eczema *see* atopic dermatitis

Ehlers–Danlos syndrome
postcoital vulval laceration and bruising (Correspondence) 974
venous blebs on toes (Correspondence) 544
elastase inactivation of TGF-β3 in venous leg ulcers (Correspondence) 1170
elastin metabolism in explanted skin fibroblasts in mid-dermal elastolysis (Correspondence) 752
elastolysis, elastin metabolism in explanted skin fibroblasts (Correspondence) 752
emotional dysfunction and childhood atopic dermatitis (Review) 381
endocarditis, infective, with atopic dermatitis (Correspondence) 1193
enzyme replacement therapy (Abstract) 788
eosinophil cationic protein
as activation marker following phototherapy in severe atopic dermatitis (Correspondence) 966
as serum marker in atopic dermatitis 67
in Wells' syndrome (Case Report) 127
eosinophilia with arteriovenous malformation and angiolymphoid hyperplasia (Case Report) 1153
eosinophilic cellulitis, correlation between clinical activity, eosinophil levels, eosinophil cationic protein and IL-5 (Case Report) 127
eosinophilic fasciitis with autoimmune thyroid disease and myelodysplasia, methylprednisolone and antihistamine therapy (Correspondence) 1185
eosinophilic pustular folliculitis, neuronal nitric oxide synthase expression in dermal infiltrated eosinophils 417
epidermal/dermal composites, requirement for basement membrane antigens in production 605
epidermal proliferation following TPA administration (Poster) 803
epidermodysplasia verruciformis, aminolaevulinic acid photodynamic therapy (Case Report) 935
epidermolysis bullosa, anaemia in (Correspondence) 773
epidermolysis bullosa acquisita, target antigens (Poster) 803
epidermolysis bullosa simplex, mild phenotype (Poster) 805
epithelium, clonal nature of structural units (Abstract) 795
epoxide hydrolase deficiency with anticonvulsant hypersensitivity syndrome (Correspondence) 181
Epstein-Barr virus
latent infection, and hydroa vacciniforme (Case Report) 715
lymphoid hyperplasia of the eyelid associated (Correspondence) 358
erythema
facial annular, and anti-SS-A/Ro antibodies (Case Report) 136
UVA-induced, effect of 8-methoxypsoralen dose (Abstract) 789
erythema nodosum, radiation-induced (Correspondence) 372
erythematous rosacea, response to ondansetron (Correspondence) 561
erythromycin, topical in acne (Poster) 809
erythroplasia of Queyrat, topical aminolaevulinic acid photodynamic therapy (Case Report) 514
erythropoietic protoporphyria, enzyme replacement therapy (Abstract) 788
extracorporeal photopheresis in Sézary syndrome (Case Report) 1144
eyelid, EBV-associated lymphoid hyperplasia (Correspondence) 358

facial annular erythema and anti-SS-A/Ro antibodies (Case Report) 136
family cancer syndrome, loss of heterozygosity in cutaneous lesions (Abstract) 794
fetal antigen 1 in neurofibroma and neurofibromatosis 1054
fibroblasts
cultured human, expression of skin structural and adhesive components (Poster) 803
effects of keratinocytes on TGF-β1 expression 409
glycosaminoglycan synthesis stimulation (Poster) 806
fish odour syndrome, sequence variations in flavin-containing mono-oxygenase 3 (FMO3) gene (Fast-track Paper) 164
flavin-containing mono-oxygenase 3 (FMO3) gene, sequence variations in fish odour syndrome (Fast-track Paper) 164
fluorescein sodium, psoriasiform eruption induced by (Correspondence) 982
fluoroquinolone photogenotoxicity (Abstract) 784
fluorouracil, therapy of Bowen's disease of the leg (Correspondence) 987
fluticasone propionate in management of moderate to severe atopic dermatitis 1114
folliculitis decalvans with tufted folliculitis (Case Report) 328
foot, perforating disorder of sole (Correspondence) 176
forearms, cutaneous lymphatic network following treatment for breast cancer (Poster) 807
free radicals, UVB-induced, biochemical markers in human skin (Abstract) 783

gastric carcinoma
laminin 5 production in cicatricial pemphigoid (Case Report) 696
metastasis to finger (Correspondence) 776
general practitioners, malignant melanoma excision (Correspondence) 773
genodermatoses, up-regulation of inducible keratins in epidermis (Poster) 802
giant cell granuloma, annular elastolytic (Case Report) 525
giant cell tumour, tendon sheath, nail plate groove deformity due to (Correspondence) 780
glans penis, necrotizing vasculitis (Correspondence) 756
Gli-1 expression in adult human skin (Abstract) 794
glossitis, herpes simplex virus type 1 (Case Report) 343
glycosaminoglycans, stimulation of fibroblasts synthesis (Poster) 806
granulocytes, role in lesional skin in linear IgA bullous dermatosis 1072
granuloma
annular elastolytic giant cell (Case Report) 525
cutaneous, associated with high-grade T-cell non-Hodgkin's lymphoma (Case Report) 145

cutaneous and hepatic, in common variable immunodeficiency (Correspondence) 546
cutaneous sarcoid foreign body, following IFN-α therapy (Correspondence) 370
cutaneous silicone, minocycline therapy (Correspondence) 985
Majocchi's, in cardiac transplant recipient (Correspondence) 1194
pyogenic, as complication of cryosurgery (Correspondence) 373
Trichophyton tonsurans dermatophyte, in HIV infection (Correspondence) 762

haemangioma, oral and intestinal, in Maffucci's syndrome (Correspondence) 968
Hailey–Hailey disease, human papillomavirus and vulval carcinoma (Case Report) 508
hair
androgen-induced growth delay in golden Syrian hamster 1100
diffuse loss in women (Poster) 808
induction of growth by irritants 616
removal by ruby laser 1105
scalp, regulation of medulla size and form 438
hairy cell leukaemia and multiple basal cell carcinoma (Case Report) 150
hand eczema
atopy score and atopic features as risk factors in trainee metal workers (Concise Communication) 922
mometasone furoate therapy 882
heat shock protein HSP72
as marker of UV stress in sunscreen evaluation (Poster) 798
in psoriatic epidermis (Poster) 810
Helicobacter pylori, response of rosacea to eradication (Correspondence) 984
hereditary sclerosing poikiloderma of Weary (Correspondence) 366
herpes gestationis, time course of change in antibody titres (Case Report) 119
herpes simplex virus, induction of IL-10 in mouse keratinocytes (Abstract) 784
herpes zoster
pitted keratolysis of palm following (Correspondence) 974
with SLE and Sweet's syndrome (Correspondence) 1174
hidradenitis suppurativa, bacterial cultures from lesions 90
histiocytes, mucin-phagocytosing, in localized lipoatrophy (Correspondence) 976
histiocytoma, generalized eruptive of childhood (Correspondence) 174
histiocytosis, intravascular (Case Report) 496
HIV infection
and sarcoidosis, influence of antiretroviral therapy (Correspondence) 1185
and tinea capitis (Case Report) 722
Trichophyton tonsurans dermatophyte granuloma (Correspondence) 762
HLA *see* human leucocyte antigens
hospital employees, prevalence of latex allergy (Correspondence) 567
human beta defensin expression in normal human skin (Abstract) 789
human herpesviruses
absence in angiosarcoma (Correspondence) 170
reactivation in pityriasis rosea (Correspondence) 169
human leucocyte antigens (HLA)
Chinese associations in bullous pemphigoid (Poster) 804
class II associations in chronic idiopathic urticaria 853
human papillomavirus
in Comel–Netherton syndrome (Case Report) 1139
and cutaneous verrucous carcinoma (Correspondence) 168
and facial bowenoid papulosis (Correspondence) 761
inhibition of UV-induced apoptosis (Abstract) 794
and vulval carcinoma in Hailey–Hailey disease (Case Report) 508
hydroa vacciniforme
familial (Case Report) 119
and latent EBV infection (Case Report) 715
8-hydroxy-2'-deoxyguanosine in human epidermis following single dose of UV radiation 226
hydroxychloroquine, ocular toxicity (Review) 3
hydroxyurea in combination with cyclosporin in severe recalcitrant psoriasis (Correspondence) 186
hyperhidrosis, botulinum A toxin therapy 677
hypertriglyceridaemia following IFN-α treatment in malignant melanoma (Correspondence) 183
hypohidrotic ectodermal dysplasia following ablation of plakophilin 1 (Case Report) 297
hypoxia, modulation of plasminogen activation and inhibition in murine keratinocytes (Poster) 802

ichthyosis bullosa of Siemens (Case Report) 689
IgG antibasement membrane zone antibodies, urinary, in bullous pemphigoid (Poster) 804
immune globulin, high dose intravenous therapy in autoimmune bullous diseases 865
immune system, effect of UV radiation on 995
immunoglobulin antibasement membrane antibodies and disease activity in cicatricial pemphigoid 645
immunoglobulin antibodies in linear IgA/IgG bullous dermatosis (Correspondence) 750
in-patient dermatology 473
inflammatory mediators, effects of topical application of low level irritants (Poster) 801
integrins
in vitro modulation by zinc, copper and manganese 26
keratinocyte expression in chronic venous leg ulcers (Poster) 805
interferon regulatory factor 1 expression in psoriatic epidermis (Poster) 809
interferon-α
cutaneous sarcoid foreign body granuloma following therapy for hepatitis C (Correspondence) 370
hypertriglyceridaemia following treatment in malignant melanoma (Correspondence) 183

in metastatic angiosarcoma (Correspondence) 1187
in mycosis fungoides 427
in Sézary syndrome 427, (Case Report) 1144
interferon-β overexpression in atopic dermatitis (Abstract) 793
interleukin receptors, as activation markers following phototherapy in severe atopic dermatitis (Correspondence) 966
interleukins
IL-2 in Sézary syndrome (Case Report) 1144
IL-5 in Wells' syndrome (Case Report) 127
IL-6, inhibition of release by UVA sunlamp (Abstract) 785
IL-8, UVB-induced increase in secretion (Abstract) 798
IL-10 induction in mouse keratinocytes by herpes simplex virus and UV radiation (Abstract) 784
IL-15 overexpression in atopic dermatitis (Abstract) 793
IL-18, characterization of system in human keratinocytes (Abstract) 795
isotretinoin in acne 273
itch
assay by actigraphs (Poster) 806
guinea pig model of sensation (Poster) 807
itraconazole dosing schedules in onychomycosis 96
juvenile xanthogranuloma
and anetoderma (Correspondence) 541
with urticaria pigmentosa (Correspondence) 990

Kaposi's sarcoma, AIDS-associated, influence of antiretroviral therapy on 875
keloids, oxpentifylline therapy (Correspondence) 771
keratin diseases (Review) 815
keratinocytes
cultured, apoptosis and cytokine release (Poster) 799
cultured human, expression of skin structural and adhesive components (Poster) 803
effect on TGF-β1 expression by fibroblasts 409
effects of exposure to mercuric chloride (Poster) 802
induction of cyclooxygenase-2 expression by UV radiation 1017
integrin expression in chronic venous leg ulcers (Poster) 805
keratins
epidermal up-regulation in genodermatoses (Poster) 802
expression in pilomatrixoma 600
hair-specific gene expression (Poster) 803
K2e, ontogeny and regional variability in developing human skin 582
mutations
in epidermolysis bullosa simplex with mild phenotype (Poster) 805
in epidermolytic palmoplantar keratoderma (Case Report) 485
in linear epidermal naevus (Abstract) 792
in monilethrix (Abstract) 793
krill enzyme preparations, *in vitro* digestion of human skin (Poster) 805

lactoferrin, effect on allergen-induced Langerhans cell migration (Abstract) 789
laminin 5 production by gastric carcinoma in cicatricial pemphigoid (Case Report) 696
Langerhans cells
activation in murine contact hypersensitivity 392
allergen-induced migration, effect of lactoferrin on (Abstract) 789
epidermal migration in caspase-1 knockout mice (Abstract) 790
human epidermal, effect of contact allergens on receptor-mediated endocytosis 200
laser therapy
and hair removal 1105
poikiloderma of Civatte (Correspondence) 1191
reasons for requesting tattoo removal (Concise Communication) 482
latex allergy
atopic children (Concise Communication) 919
prevalence among hospital employees (Correspondence) 567
lectin
from *Agaricus bisporus*, antiproliferative effects on human keratinocytes 56
mannan-binding, deficiency (Case Report) 180
leg ulcers
cost and effectiveness of implementing new services (Abstract) 536
inactivation of TGF-β3 by elastase (Correspondence) 1170
keratinocyte integrin expression (Poster) 805
prevention of recurrence with shin guards (Correspondence) 189
with squamous cell carcinoma (Case Report) 1148
with thrombocytosis (Correspondence) 188
leishmaniasis
cutaneous (Case Report) 347
post-kala-azar dermal (Correspondence) 760
leprosy, relapse following multidrug therapy (Correspondence) 759
leukaemia inhibitory factor expression in psoriasis and non-melanoma skin cancer (Poster) 798
levamisole, long term therapy, purpura of the ears as complication (Case Report) 948
lichen planus, erosive mucosal, topical tacrolimus therapy (Case Report) 338
lichen sclerosus
in adult men 79
level of immunological changes 1087
linear epidermal naevus, keratin mutations in (Abstract) 792
linear IgA bullous dermatosis, role of lymphocytes, granulocytes, mast cells and cytokines in lesional skin 1072
linear IgA disease
circulating IgA antibodies against NC16A domain of BP180 (Correspondence) 964
with lymphocytic colitis (Case Report) 317
target antigens (Poster) 803, (Poster) 804
linear IgA/IgG bullous dermatosis, immunoglobulin antibodies in (Correspondence) 750

lipid film, human skin surface, ultrastructure and interaction with stratum corneum 385
lipoatrophy, localized, mucin-phagocytosing histiocytes in (Correspondence) 976
lipodystrophia centrifugalis abdominalis infantalis (Case Report) 1161
low salt water, efficacy on irritation caused by retinoic acid in acne (Poster) 808
lues maligna (Correspondence) 1175
lupus erythematosus profundus, linear (Correspondence) 177
lymphocytes, role in lesional skin in linear IgA bullous dermatosis 1072
lymphocytic colitis with linear IgA disease (Case Report) 317
lymphoma
cutaneous, and systemic sarcoidosis (Case Report) 952
nasal-type T/natural killer cell angiocentric, EBV-associated (Case Report) 504
primary cutaneous CD30+ anaplastic large cell, association with renal cell carcinoma (Correspondence) 971

Maffucci's syndrome with oral and intestinal haemangioma (Correspondence) 968
Majocchi's granuloma in cardiac transplant recipient (Correspondence) 1194
Malaysia, coccidioidomycosis (Correspondence) 557
malignant melanoma
combined with basal cell carcinoma (Correspondence) 360
detection of melanoma cells in peripheral blood (Abstract) 793
detection of micrometastatic 1060
excision by GPs (Correspondence) 773
false negative diagnosis 902
genetic profile comparisons between primary and metastatic (Poster) 800
humour and alarmism in information leaflets 909
hypertriglyceridaemia following IFN-α treatment (Correspondence) 183
incidence and mortality in western Netherlands 462
melanoma antigen-encoding gene expression (Concise Communication) 106
metastatic
female survival benefit (Poster) 800
S100B monitoring during therapy 1065
pre-clinical model of cell invasion (Poster) 800
rational approach to follow-up 249
targeted screening (Abstract) 535
malignant tumours and psoriasis 237
manganese, *in vitro* modulation of keratinocyte wound healing integrins 26
mast cells
in psoriatic skin, positivity for interferon-γ 624
role in lesional skin in linear IgA bullous dermatosis 1072
Mees' lines due to cyclosporin (Correspondence) 1198
melanocortin 1 receptor
functional variants (Abstract) 792
sequence variants (Poster) 801
α-melanocyte stimulating hormone, effects on oxidative stress (Poster) 801
melanocytes
effects on growth of low vs. high calcium keratinocyte-conditiones medium 50
transplantation in vitiligo (Poster) 800
melanocytic naevi
melanoma antigen-encoding gene expression (Concise Communication) 106
naevus count on arm as predictor of total number 456
melanoma antigen-encoding gene expression in malignant melanoma and melanocytic naevi (Concise Communication) 106
melanonychia, linear, and subungual keratosis of the nail bed (Case Report) 730
MELAS and vitiligo 634
mercuric chloride exposure, effects on keratinocytes (Poster) 802
metal workers, risk factors for development of hand eczema (Concise Communication) 922
MHC class II molecules in anthralin inflammation (Abstract) 791
MICA gene in psoriasis (Abstract) 790
minocycline therapy of cutaneous silicone granuloma (Correspondence) 985
minoxidil, topical, induction of increased fenestration in perifollicular capillary wall (Concise Communication) 294
mite allergen, household levels in atopic dermatitis 651
mitochondrial encephalomyopathy, lactic acidosis and stroke-like episodes syndrome with vitiligo 634
Mohs' surgery in periocular basal cell carcinoma (Correspondence) 775
molluscum folliculitis in absence of HIV infection (Correspondence) 171
mometasone furoate in chronic hand eczema 882
monilethrix, keratin mutations in (Abstract) 793
morphoea, neonatal (Correspondence) 365
Muir–Torre syndrome, sebaceous adenoma in (Correspondence) 749
multiple myeloma presenting as scleroderma amyloidosum (Correspondence) 1172
mycosis fungoides
autologous haematopoietic progenitor transplantation (Correspondence) 1188
hyperpigmented, association of stem cell factor and disease progression (Correspondence) 765
IFN-α therapy 427
pilotropic (Case Report) 141
myelodysplasia with eosinophilic fasciitis and autoimmune thyroid disease, methylprednisolone and antihistamine therapy (Correspondence) 1185
myelofibrosis and pyoderma gangrenosum (Correspondence) 360
myofibromatosis, fetal diagnosis (Correspondence) 539

naevoid eccrine spiradenoma, extensive (Case Report) 154

naevus count on arm as predictor of total number of melanocytic naevi 456
naevus sebaceus syndrome with aplasia cutis congenita, uvula bifida and bilateral retinal dystrophy (Correspondence) 542
nail
  bidet (Correspondence) 377
  circumferential (Case Report) 960
  dystrophy (Correspondence) 778
  worn-down (Correspondence) 377
nail bed, subungual keratosis and linear melanonychia (Case Report) 730
nail plate groove deformity due to tendon sheath giant cell tumour (Correspondence) 780
nailfold capillaroscopy in psoriasis (Poster) 809
natural killer cell lymphocytosis with angio-oedema and strongyloidosis (Correspondence) 1178
necrobiosis lipoidica and diabetes mellitus 283
neonate, morphoea (Correspondence) 365
Netherlands, incidence and mortality of malignant melanoma 462
neurofibroma
  fetal antigen 1 in 1054
  subungual (Correspondence) 778
neurofibromatosis, serum fetal antigen 1 1054
neutropenia due to terbinafine (Correspondence) 1196
nevirapine, induction of overlap Stevens–Johnson syndrome/toxic epidermal necrolysis (Correspondence) 981
nicotine chewing gum in treatment of digital ulceration in Buerger's disease (Correspondence) 187
nitric oxide, effects in psoriatic plaques (Abstract) 791
nitric oxide synthase
  in anthralin inflammation (Abstract) 791
  expression in dermal infiltrated eosinophils in eosinophilic pustular folliculitis 417
non-Hodgkin's lymphoma, cutaneous granuloma associated (Case Report) 145
non-melanoma skin cancer
  external ear, curettage–cryosurgery (Concise Communication) 291
  leukaemia inhibitory factor expression (Poster) 798
nose tip, skin and partial cartilage defect, full-thickness skin graft (Correspondence) 775
nursing staff, role in surgery and prescribing (Concise Communication) 681

oesophageal cicatricial pemphigoid, antibody response characterisation 859
ondansetron, response of erythematous rosacea to (Correspondence) 561
onychomycosis
  caused by *Trichophyton tonsurans* 556
  combined surgical and systemic therapy (Correspondence) 779
  itraconazole dosing schedules 96
  Scytalidium hyalinum, amorolfine therapy (Correspondence) 555
osteoma, cutaneous of the scalp (Correspondence) 547
oxpentifylline therapy for keloids (Correspondence) 771

$p15^{INK4b}$ epidermal expression in psoriasis (Poster) 810
p53
  dose dependent expression in UV irradiated skin (Poster) 798
  expression in burn wound healing 829
  mutation in clonal patches adjacent to basal cell carcinoma (Poster) 799
Paget's disease, cytokeratin antigen 20 expression (Correspondence) 1169
palmar pitted keratolysis following herpes zoster (Correspondence) 974
palmoplantar keratoderma, epidermolytic, keratin mutation in (Case Report) 485
paronychia associated with antiretroviral therapy (Case Report) 1165
patch test reproducibility 102
Patient Generated Index (Abstract) 536
pemphigoid
  childhood vulval (Case Report) 308
  localized vulval with IgC autoantibodies (Case Report) 1133
pemphigus
  endemic Tunisian, immunoblot and immunoelectronmicroscopic analysis 44
  familial benign chronic with psoriasis (Correspondence) 374
  internalization and induction of desmogleins in lesions 35
  paraneoplastic
  with mesenteric Castleman tumour (Case Report) 313
  presentation as erosive lichen planus (Correspondence) 552
  serodiagnosis with recombinant desmogleins (Fast-track Paper) 351
pemphigus foliaceus
  diagnosis (Abstract) 795
  mild, topical corticosteroid therapy (Concise Communication) 1127
pemphigus vulgaris
  diagnosis (Abstract) 795
  mild, topical corticosteroid therapy (Concise Communication) 1127
  oral lesions 84
  skin cytokine characterization 1079
  vaginal (Case Report) 945
penis
  basal cell carcinoma (Correspondence) 361
  tuberculide (Correspondence) 757
photoageing
  and collagen type VI distribution (Abstract) 785
  mDNA deletion associated (Abstract) 788
photodamage, and upregulation of tenascin C expression 592
photodynamic therapy
  epidermodysplasia verruciformis (Case Report) 935
  erythroplasia of Queyrat (Case Report) 514
phototherapy
  in cutaneous T-cell lymphoma (Correspondence) 768

home (Review) 195
narrowband UVB, efficacy in psoriasis 887
psoriasis, DNA photoadducts in human skin following (Abstract) 789
severe atopic dermatitis, circulating activation markers following (Correspondence) 966
phytophotodermatitis following *Citrus hystrix* application (Case Report) 737
pigmented lesions clinics, melanoma yield, biopsies and missed melanomas 243
pilomatrixoma, keratin basic 1 expression 600
pitted keratolysis of the palm following herpes zoster (Correspondence) 974
pityriasis rosea, reactivation of human herpesvirus 6 (Correspondence) 169
pityriasis rubra pilaris
bath-PUVA (Correspondence) 769
HIV-associated, response to antiretroviral therapy (Case Report) 931
plakophilin 1 ablation (Case Report) 297
plasminogen, modulation of activation and inhibition in murine keratinocytes by hypoxia (Poster) 802
poikiloderma of Civatte, laser therapy (Correspondence) 1191
poliosis circumscripta with scalp naevi (Correspondence) 1182
polymorphic light eruption and actinic prurigo 232
porokeratosis psychotropica, bilateral perianal inflammatory (Correspondence) 554
porphyrias, cutaneous (Review) 573
pregnancy and cyclosporin (Correspondence) 1197
prescribing in dermatology departments (Concise Communication) 681
prolidase deficiency and squamous cell carcinoma of the leg (Correspondence) 362
protein kinase C
regulation of activation by calcium and phorbol ester (Abstract) 795
relation of isoforms to induction of hair growth by skin irritants 616
pruritus
and anorexia nervosa 452
assay by actigraphs (Poster) 806
guinea pig model of sensation (Poster) 807
pseudocatalase in xeroderma pigmentosum (Correspondence) 1190
pseudoepitheliomatous hyperplasia in cutaneous T-cell lymphoma 421
psoriasis
allelic association of MICA gene (Abstract) 790
angiogenic factors in fibroblasts and keratinocytes derived from (Abstract) 791
antiproliferative effects of lectin from *Agaricus bisporus* on human keratinocytes 56
congenital erythrodermic (Correspondence) 537
control of cutaneous blood vessels in plaques (Abstract) 791
cyclosporin therapy, B-cell lymphoma associated (Correspondence) 763
day care vs. inpatient therapy (Correspondence) 375
DNA photoadducts in human skin following UVB phototherapy (Abstract) 789
effects of nitric oxide in plaques (Abstract) 791
efficacy of narrowband UVB phototherapy 887
epidermal expression of $p15^{INK4b}$ (Poster) 810
with familial benign chronic pemphigus (Correspondence) 374
fluorescence microlymphography 61
HSP72 expression in epidermis (Poster) 810
interferon regulatory factor 1 expression in epidermis (Poster) 809
leukaemia inhibitory factor expression (Poster) 798
and malignant tumours 237
mast cells positive for interferon-γ 624
nailfold capillaroscopy (Poster) 809
PUVA therapy in fair-skinned individuals 661
quality of life measurement (Abstract) 536
recurrent erythrodermic due to contact with rubber gloves (Correspondence) 568
severe recalcitrant, combination cyclosporin and hydroxyurea (Correspondence) 186
skin surface biopsy (Poster) 810
T-cell Vβ2 chain expression in skin homing lymphocytes 845
variation of serum lipoprotein (a) level with disease activity (Correspondence) 566
purpura of the ears in levamisole therapy (Case Report) 948
PUVA
disposable face masks (Correspondence) 770
effect of 8-methoxypsoralen dose on UVA-induced erythema (Abstract) 789
fair-skinned individuals with psoriasis 661
phototoxicity time course (Correspondence) 988
in scleroderma (Abstract) 785
pyoderma gangrenosum
and myelofibrosis (Correspondence) 360
recalcitrant
combination oral and topical tacrolimus therapy (Correspondence) 564
systemic tacrolimus therapy (Correspondence) 563

quality of life
and acne 672
in atopic dermatitis 268
measurement in psoriasis (Abstract) 536

rapid whole blood flow cytometric assay in atopic dermatitis (Poster) 801
red hair/fair skin phenotype, locus heterogeneity (Abstract) 792
renal cell carcinoma associated with primary cutaneous CD30+ anaplastic large cell lymphoma (Correspondence) 971
renal transplant recipients, skin cancer prophylaxis 656
reticulate acropigmentation of Dohi (Case Report) 490
retinaldehyde, topical, in acne (Poster) 809

retinoic acid, *all-trans*, promotion of elastic fibre tortuosity repair 1048
rheumatoid arthritis and cutaneous eosinophilic vasculitis (Correspondence) 754
ringworm, acute suppurative, associated with *Trychophyton rubrum* (Correspondence) 369
Romania, prevalence of skin conditions in school children 891
rosacea, response to eradication of *Helicobacter pylori* (Correspondence) 984
rose spots and non-typhoid *Salmonella* infection (Correspondence) 558

S100B, predictive value for monitoring metastatic melanoma during therapy 1065
salicylic acid, effect of barrier perturbation on cutaneous penetration (Fast-track Paper) 739
Salmonella, non-typhoid infection, and rose spots (Correspondence) 558
sarcoidosis
  following allopurinol therapy (Correspondence) 1184
  and HIV infection, influence of antiretroviral therapy (Correspondence) 1185
  systemic, and cutaneous lymphoma (Case Report) 952
scalp
  cutaneous osteoma (Correspondence) 547
  eruptive disseminated blue naevi (Correspondence) 178
  naevi, with poliosis circumscripta (Correspondence) 1182
scalp hair, regulation of medulla size and form 438
scleroderma
  evaluation of PUVA (Abstract) 785
  isolation of *Borrelia afzelii* from circumscribed lesions (Case Report) 925
sebaceous adenoma in Muir–Torre syndrome (Correspondence) 749
sebum, racial variation in excretion rate (Poster) 808
serum lipoprotein (a), variation of level with disease activity in psoriasis (Correspondence) 566
Sézary syndrome
  with atopic dermatitis (Case Report) 704
  combination treatment with extracorporeal photopheresis, IFN-α and IL-2 (Case Report) 1144
  IFN-α therapy 427
skin cancer prophylaxis in renal transplant recipients 656
skin care products, assessment of antibacterial properties (Poster) 807
skin digestion *in vitro* with krill enzyme preparations (Poster) 805
skin graft, full-thickness, in skin and partial cartilage defect of nose tip (Correspondence) 775
skin surface biopsy, psoriatic and normal skin (Poster) 810
smooth muscle hamartoma, CD34+ dendritic cells (Correspondence) 172
sole, perforating disorder (Correspondence) 176
squamous cell carcinoma
  in chronic venous leg ulceration (Case Report) 1148
  and prolidase deficiency (Correspondence) 362
staphylococcal scalded skin syndrome, adult, associated with MRSA (Case Report) 518
Staphylococcus aureus, methicillin-resistant, and adult staphylococcal scalded skin syndrome (Case Report) 518
stem cell factor, association with disease progression in hyperpigmented mycosis fungoides (Correspondence) 765
Stevens–Johnson syndrome, nevirapine-induced overlap with toxic epidermal necrolysis (Correspondence) 981
stoma patients, skin disorders (Abstract) 536
striae following childhood cardiac surgery (Case Report) 734
strongyloidosis with angio-oedema and NK cell lymphocytosis (Correspondence) 1178
substance P receptor cutaneous deficiency in congenital insensitivity to pain with anhidrosis (Correspondence) 190
subungual exostoses, elective day case surgery 915
sunscreens
  evaluation (Poster) 798
  inadequacy in photosensitive patients 255
  water resistance 259
superficial temporal artery, non-pulsatile aneurysm (Correspondence) 781
sweat secretion in atopic dermatitis 1110
Sweet's syndrome
  colchicine therapy (Correspondence) 565
  with SLE and herpes zoster (Correspondence) 1174
systemic lupus erythematosus with Sweet's syndrome and herpes zoster (Correspondence) 1174

T-cell receptor genes in cutaneous T-cell lymphoma (Correspondence) 766
T cells
  CD4+, effect of depletion on DEBR model of alopecia areata 432
  dendritic epidermal, activation in murine contact hypersensitivity 392
  enhanced superantigen-mediated proliferation in atopic dermatitis (Abstract) 790
  Vβ2 chain expression in skin homing lymphocytes in psoriasis 845
  in wound healing (Poster) 806
tacrolimus
  combination oral and topical, in recalcitrant pyoderma gangrenosum (Correspondence) 564
  systemic, in recalcitrant pyoderma gangrenosum (Correspondence) 563
  topical, in erosive mucosal lichen planus (Case Report) 338
tattoos, reasons for requesting laser removal (Concise Communication) 482
tazarotene gel, effect on human skin (Poster) 807
telangiectasia, essential progressive, oculocutaneous presentation (Correspondence) 969
temporal arteritis with systemic vasculitis (Correspondence) 549
tenascin C expression upregulation in photodamage 592
tendon sheath giant cell tumour, nail plate groove deformity due to (Correspondence) 780

terbinafine
neutropenia due to (Correspondence) 1196
scavenging effects on free radicals 640
short duration therapy in tinea capitis (Concise Communication) 479
thrombocytosis with leg ulceration (Correspondence) 188
tinea capitis
and HIV infection (Case Report) 722
short duration terbinafine therapy (Concise Communication) 479
tinea pedis, prevalence in Australian school students 897
toxic epidermal necrolysis, nevirapine-induced overlap with Stevens–Johnson syndrome (Correspondence) 981
TPA, determination of epidermal proliferation following administration (Poster) 803
transforming growth factor-β
effects of keratinocytes on expression by fibroblasts 409
inactivation by elastase in venous leg ulcers (Correspondence) 1170
trichoblastic fibroma (trichoblastoma), cytokeratin expression 8
trichoepithelioma, cytokeratin expression 8
Trichophyton mentagrophytes, genetic diversity 839
Trichophyton tonsurans
dermatophyte granuloma in HIV infection (Correspondence) 762
Majocchi's granuloma due to in cardiac transplant recipient (Correspondence) 1194
onychomycosis due to (Correspondence) 556
Trychophyton rubrum, acute suppurative ringworm associated (Correspondence) 369
tuberculide, penis (Correspondence) 757
tufted folliculitis
childhood (Correspondence) 975
with folliculitis decalvans (Case Report) 328
tumour necrosis factor-α, inhibition of release by UVA sunlamp (Abstract) 785
tyrosinase, autoantibody epitope mapping in vitiligo (Poster) 804

cis-urocanic acid, effect on cytokine expression in murine keratinocytes (Abstract) 788
urticaria
cetirizine-induced reaction (Correspondence) 979
chronic, autologous whole blood intramuscular injection (Correspondence) 1192
chronic idiopathic
autologous serum skin test 445
HLA class II associations 853
extent and nature of disability 667
urticaria pigmentosa
c-kit exon 11 and exon 17 (Concise Communication) 1130
familial, *c-kit* mutation 849
with juvenile xanthogranuloma (Correspondence) 990
UV radiation
appearance of 8-hydroxy-2'-deoxyguanosine in human epidermis following single dose 226
dose dependent p53 expression and apoptosis induction (Poster) 798
effect on human immune system 995
induction of cyclooxygenase-2 expression in keratinocytes 1017
induction of IL-10 in mouse keratinocytes (Abstract) 784
UVA sunlamps
induction of cyclobutane pyrimidine dimers in keratinocytes by UVB content 1023
inhibition of IL-6 and TNF-α release from cultured keratinocytes (Abstract) 785
UVB radiation
effect on IL-8 secretion (Poster) 798
free radicals induced by, biochemical markers in human skin (Abstract) 783
xeroderma pigmentosum fibroblasts 1031
UVB therapy in familial benign chronic pemphigus with psoriasis (Correspondence) 374

vaginal pemphigus vulgaris and chronic discharge (Case Report) 945
vasculitis
cutaneous eosinophilic, with rheumatoid arthritis (Correspondence) 754
livedoid (Case Report) 131
necrotizing of glans penis (Correspondence) 756
relapsing leucocytoclastic in brucellosis (Correspondence) 1177
systemic, with temporal arteritis (Correspondence) 549
venous blebs on toes in Ehlers–Danlos syndrome (Correspondence) 544
venous oedema, evaluation of effects of leg elevation (Poster) 808
verrucous carcinoma, cutaneous, and human papillomavirus (Correspondence) 168
verrucous porokeratosis, bilateral perianal inflammatory (Correspondence) 554
vitiligo
autoantibody epitope mapping of tyrosinase (Poster) 804
melanocyte transplantation (Poster) 800
and MELAS 634
microsatellite polymorphism of cytotoxic T-cell antigen-4 gene 73
skin-homing melanocyte-specific cytotoxic T-cells (Abstract) 790
vulva
carcinoma in Hailey–Hailey disease (Case Report) 508
childhood pemphigoid (Case Report) 308
pemphigoid with IgC autoantibodies (Case Report) 1133
postcoital laceration and bruising in Ehlers–Danlos syndrome (Correspondence) 974

Wells' syndrome, correlation between clinical activity, eosinophil levels, eosinophil cationic protein and IL-5 (Case Report) 127
Willan, Robert 1122

wool follicle matrix cells, *in vitro* culture and keratin expression 216
worn-down nail syndrome (Correspondence) 377
wound healing
burns, apoptosis and p53 expression 829
cellular changes in denervated tissue 1093
and neuropeptide-containing C-fibres 400
T cells in (Poster) 806
wrinkles, histological study of structure 1038

xeroderma pigmentosum
apoptosis and cytokine release in keratinocyte cultures (Poster) 799
pseudocatalase therapy (Correspondence) 1190
UVB fibroblast irradiation and susceptibility to apoptosis 1031

zinc, *in vitro* modulation of keratinocyte wound healing integrins 26

Authors

AALI, S.A. *see* ACLAND, K.M.
ABDEL-NASER, M.B. Differential effects on melancyte growth and melanization of low vs. high calcium keratinocyte-conditioned medium, 50
ABDULLAH, A. *see* BOURKE, J.F.
ABECK, D. *see* EBERLEIN-KÖNIG, B.
ABECK, D. *see* MEMPEL, M.
ABELS, C. *see* KARRER, S.
ABERER, E. *see* BREIER, F.H.
ABOOBAKER, J. *see* MORAR, N.
ACAR, M.A. *see* UZUN, S.
ACKERMANN, L., HARVIMA, I.T., PELKONEN, J., RITAMÄKI-SALO, V., NAUKKARINEN, A., HARVIMA, R.J. & HORSMANHEIMO, M. Mast cells in psoriatic skin are strongly positive for interferon-gamma, 624
ACLAND, K.M., DARVAY, A., GRIFFIN, C., AALI, S.A. & RUSSELL-JONES, R. Staphylococcal scalded skin syndrome in an adult asociated with methicillin-resistant *Staphylococcus aureus*, 518
ACLAND, K.M., DARVAY, A., WAKELIN, S.H. & RUSSELL-JONES, R. Livedoid vasculitis: a manifestation of the antiphospholipid syndrome?, 131
AERTS, J. *see* HADACEK, B.M.
AHMAD, T. *see* DICKER, T.J.
AHMED, N.U., UEDA, M., NIKAIDO, O., OSAWA, T. & ICHIHASHI, M. High levels of 8-hydroxy-2′-deoxyguanosine appear in normal human epidermis after a single dose of ultraviolet radiation, 226
AHN, S.K. *see* LEE, N.H.
AJJAN, R.A. *see* KEMP, E.H.
AKAGI, A., TANAKA, N., OHNISHI, Y., FUJIOKA, A., KAWADA, A., TAJIMA, S. & ISHIBASHI, A. Discoid lupus erythematosus in a seborrhoeic facial distribution, 560
AKIBA, H. *see* IWATSUKI, K.
AKIBA, H. *see* OHTSUKA, M.
AKIYAMA, M. *see* CHISIKI, M.
ALBERTI, A. *see* SIRAGUSA, M
ALIAGA, A. *see* GRAU SALVAT, C.
ALLEN, J. *see* FARRELL, A.M.
ALLEN, M. *see* DAVISON, S.
ALPAY, K. *see* ÇIMSIT, G.
ALTMEYER, P. *see* VON KOBYLETZKI, G.
ALTMEYER, P. *see* VON KOBYLETZKI, G.
ALVES, G.F., POON, E., JOHN, J., SALOMAO, P.R. & GRIFFITHS, W.A.D. Circumferential fingernail, 960
AMAGAI, M., KOMAI, A., HASHIMOTO, T., SHIRAKATA, Y., HASHIMOTO, K., YAMADA, T., KITAJIMA, Y., OHYA, K., IWANAMI, H. & NISHIKAWA, T. Usefulness of enzyme-linked immunosorbent assay using recombinant desmogleins 1 and 3 for serodiagnosis of pemphigus, 351
AMMAN, U. *see* SCHUMANN, H.
ANDERSSON, A-C. *see* LODÉN, M
ANDRÉ, J. *see* LATEUR, N.
ANDREASSI, L. *see* FIMIANI, M.
ANG, P. & TAY, Y.K. Anetoderma in a patient with juvenile xanthogranuloma, 541
ANSTEY, A. *see* SARKANY, R.P.E.
ARAVINDAN, P. *see* TZEMOS, N.
ARCHER, C.B. *see* DOWNS, A.M.R.
ARECHALDE, A., BRAUN, R.P., CALZA, A.M., HERTL, M., DIDIERJEAN, L., SAURAT, J.H. & BORRADORI, LUCA. Childhood bullous pemphioid associated with IgA antibodies against BP180 or BP230 antigens, 112
ARENAS, R. *see* DOMINGUEZ-CHERIT, J.
ARISAWA, S. *see* TAMADA, Y.
ARLETT, C.F. *see* WOOLLONS, A.
ASAHI, M. *see* YAMAMOTO, O.
ASAI, Y. *see* TSUTSUI, K.
ASCH, P-H. *see* CRIBIER, B.
ASH, D.V. *see* STABLES, G.I.
ASHTON, G.H.S. *see* BASARAB, T.
ASHTON, G.H.S. *see* MCGRATH, J.A.
ASHTON, R. *see* FRASER-ANDREWS, E.
ATHERTON, D.J., COX, I. & HANN, I. Intravenous iron (III) hydroxide–sucrose complex for anaemia in epidermolysis bullosa, 773
AUFF, E. *see* SCHNIDER, P.
AVENEL-AUDRAN, M. *see* MAILLARD, H.
AYED, K *see* JOLY, P.
AZURDIA, R.M., LUZZI, G.A., BYREN, I., WELSH, K., WOJNAROWSKA, F., MARREN, P. & EDWARDS, A. Lichen sclerosus in adult men: a study of HLA associations and susceptibility to autoimmune disease, 79
AZURDIA, R.M., PAGLIARO, J.A., DIFFEY, B.L. & RHODES, L.E. Suscreen application by photosensitive patients is inadequate for protection, 255

BACHELEZ, H. *see* SENET, P.
BAGOT, M. *see* COURVILLE, P.
BAHADORAN, P. *see* PASSERON, T.
BAKER DAMANHOURY, Z.B. *see* RADDADI, A.A.
BALDISSERA, I. *see* HÖGLER, W.
BALDURSSON, B.T., HEDBLAD, M-A., BEITNER, H. & LINDELÖF, B. Squamous cell carcinoma complicating chronic venous leg ulceration: a study of the histopathology, course and survival in 25 patients, 1148
BARAN, R. & MOULIN, G. The bidet nail: a French variant of the worn-down nail syndrome, 377
BARAN, R. & PERRIN, C. Linear melanonychia due to subungual keratosis of the nail bed: a report of two cases, 730
BARBA, A., ROSINA, P., CHIEREGATO, C. & D'ONGHIA, F.S. Morphoea in a newborn boy, 365
BARBIER, A. *see* RIZOVA, H.
BARDI, R *see* JOLY, P.
BARKATAKI, A. *see* EBENEZER, G.J.
BARKER, J.N.W.N. *see* DAVISON, S.
BARLOW, R.J. *see* O'DONNELL, B.F.
BARNÉON, G. *see* STOEBNER, P.E.

BARNES, L. *see* O'TOOLE, E.A.
BARR, R.M. *see* O'DONNELL, B.F.
BARR, R.M. *see* SABROE, R.A.
BASARAB, T., ASHTON, G.H.S., DU P.MENAGE, H. & MCGRATH, J.A. Sequence variations in the flavin-containing mono-oxygenase 3 gene (FMO3) in fish odour syndrome, 164
BASARAB, T., PICKARD, J.K., SIMPSON, E. & RUSSELL-JONES, R. Melanoma antigen-encoding gene expression in melanocytic naevi and cutaneous malignant melanomas, 106
BASARAB, T., SMITH, F.J.D., JOLLIFFE, V.M.L., MCLEAN, W.H.I., NEILL, S., RUSTIN, M.H.A. & EADY, R.A.J. Icthyosis bullosa of Siemens: report of a family with evidence of a keratin 2e mutation, and a review of the literature, 689
BATAILLE, V., SASIENI, P., CURLEY, R.K., COOK, M.G. & MARSDEN, R.A. Melanoma yield, number of biopsies and missed melanomas in a British teaching hospital pigmented lesion clinic: a 9-year retrospective study, 243
BATES, E.J., PENNO, N.M. & HYND, P.I. Wool follicle matrix cells: culture conditions and keratin expression *in vitro*, 216
BATTA, K. *see* BOURKE, J.F.
BATTA, K., HINDSON, C., COTTERILL, J.A. & FOULDS, I.S. Treatment of poikiloderma of Civatte with the potassium titanyl phosphate (KTP) laser, 1191
BATTA, K., MUNDAY, P.E. & TATNALL, F.M. Pemphigus vulgaris localized to the vagina presenting as chronic vaginal discharge, 945
BATTA, K., TAN, C.Y. & COLLOBY, P. Giant cell tumour of the tendon sheath producting a groove deformity of the nail plate and mimicking a myxoid cyst, 780
BAYKAL, C. *see* ÖZKAYA-BAYAZIT, E.
BEDLOW, A. *see* ROSBOTHAM, J.L.
BEDLOW, A.J. *see* CLIFF, S.
BEDLOW, A.J., COOK, M.G. & KURWA, A. Extensive naevoid eccrine spiradenoma, 154
BEHAM, A. *see* MEMPEL, M.
BEHRENS, S. *see* GRUNDMANN-KOLLMANN, M.
BEISSERT, S. *see* MÜLLER, S.
BEITNER, H. *see* BALDURSSON, B.T.
BEN OSMAN, A. *see* EL-EUCH, D
BENFELDT, E., SERUP, J. & MENNÉ, T. Effect of barrier perturbation on cutaneous salicylic acid penetration in human skin: *in vivo* pharmacokinetics using microdialysis and non-invasive quantification of barrier function, 739
BENNETT, P. *see* MAURICE, P.D.L.
BENNING, C. *see* RICO, M.J.
BENSON, E. *see* JOLLES, S.
BENZAKEN, S. *see* PASSERON, T.
BERNACCHI, E. *see* CAPRONI, M.
BERNDT, U., HINNEN, U., ILIEV, D. & ELSNER, P. Role of the atopy score and of single atopic features as risk factors for the development of hand eczema in trainee metal workers, 922
BETTOLI, V. *see* TOSTI, A.
BEYLOT-BARRY, M. *see* COURVILLE, P.
BHOGAL, B.S. *see* SETTERFIELD, J.
BHUSHAN, M., TELFER, N.R. & CHALMERS, R.J.G. Subungual neurofibroma: an unusual cause of nail dystrophy, 778
BIANCHI, B. *see* CAPRONI, M.
BILENCHI, R. *see* FIMIANI, M.
BINDER, M. *see* SCHNIDER, P.
BIRNER, P. *see* SCHNIDER, P.
BITO, T. *see* NAGANO, T.
BITTENCOURT, M. *see* DE ALMEIDA BARBOSA JR, A.
BLACK, M.M. *see* HARMAN, K.E.
BLACK, M.M. *see* SETTERFIELD, J.
BLACK, M.M. *see* SMITH, H.R.
BLANCHE, P., PASSERON, A., GOMBERT, B., GINSBURG, C., SALMON, D. & SICARD, D. Sarcoidosis and HIV infection: influence of highly active antiretroviral therapy, 1185
BLANCO, A. *see* FERRA, C.
BLASZCZYC, M. *see* HENZ, B.M.
BLEIDL, D. *see* RONGIOLETTI, F.
BLUME-PEYTAVI, U. *see* TREUDLER, R.
BOCK, M. *see* JÄCKEL, A.
BOCK, M. *see* WALDMANN, V.
BOHLEN, H. *see* CASPER, C.
BONERANDI, J.J. *see* RICHARD, M.A.
BONSMANN, G. *see* MÜLLER, S.
BONSMANN, G. *see* SCHUMANN, H.
BORRADORI, L. *see* HERTL, M.
BORRADORI, LUCA *see* ARECHALDE, A.
BOTTAU, P. *see* RICCI, G.
BOUGNOUX, M.E. *see* KAC, G.
BOURKE, J.F. *see* OSBORNE, J.E.
BOURKE, J.F., BATTA, K., PRAIS, L., ABDULLAH, A. & FOULDS, I.S. The reproductibility of patch tests, 102
BOURSIER, L. *see* RATNAVEL, R.C.
BOYCE, S.G. *see* RALSTON, D.R.
BOYCE, S.T. *see* LE POOLE, I.C.
BRANDRUP, F. *see* JENSEN, C.H.
BRANDRUP, F., HOMBURG, K.M., WANG, P., GARRED, P. & MADSEN, H.O. Mannan-binding lectin deficiencey associated with recurrent cutaneous abscesses, prurigo and possibly atopic dermatitis. A family study, 180
BRANDT, H. *see* HAVU, V.
BRAUN, R.P. *see* ARECHALDE, A.
BRÄUTIGAM, M. *see* HAMM, H.
BRAZZINI, B. *see* CAPRONI, M.
BREIER, F.H., ABERER, E., TAPPEINER, G., KHANAKAHA, G., SCHLICK, A. & STANEK, G. Isolation of *Borrelia afzelii* from cirumscribed scleroderma, 925
BRENNER, W. *see* HAUSCHILD, A.
BRIGANTI, S. *see* CAMERA, E.
BRÖCKER, E-B. *see* SCHMIDT, E.
BRUCKNER-TUDERMAN, L. *see* SCHMIDT, E.
BRUCKNER-TUDERMAN, L. *see* SCHUMANN, H.
BRUIJNZEEL-KOOMEN, C.A.F.M. *see* VAN HASELEN, C.W.
BUCKLEY, D.A. *see* KIRBY, B.
BÜDINGER, L. *see* HERTL, M.
BUNKER, C.B. *see* FARRELL, A.M.
BURDEN, A.D. *see* GUPTA, G.
BURDEN, A.D. *see* WALKER, S.

BURG, G. *see* FRITZ, T.M.
BURGE, S. *see* STONE, N.
BÜYÜKBABANİ, N. *see* ÖZKAYA-BAYAZIT, E.
BYREN, I. *see* AZURDIA, R.M.

CAIRD, A. & ROGERS, S. Disposable face masks for PUVA: what the patients think, 770
CALIEBE, A. *see* MEMPEL, M.
CALONJE, E. *see* RATNAVEL, R.C.
CALVEZ, V. *see* DUPIN, N.
CALZA, A.M. *see* ARECHALDE, A.
CAMACHO MARTINEZ, F., GARCÍA-HERNANDEZ, M.J. & MAZUECOS BLANCA, J. Postmenopausal frontal fibrosing alopecia, 1181
CAMERA, E., CANNISTRACI, C., BRIGANTI, S., COLOMBO, D. & PICARDO, M. Scavenging effects of terbinafine on free radicals *in vitro*, 640
CAMP, R.D.R. The variation of serum lipoprotein (a) level with disease activity in psoriasis, 566
CANNISTRACI, C. *see* CAMERA, E.
CANO, J.P. *see* STOEBNER, P.E.
CAPRONI, M., ROLFO, S., BERNACCHI, E., BIANCHI, B., BRAZZINI, B. & FABBRI, P. The role of lymphocytes, granulocytes, mast cells and their related cytokines in lesional skin of linear IgA bullous dermatosis, 1072
CARAYON, P. *see* RIZOVA, H.
CARAYON, P. *see* STOEBNER, P.E.
CARLI, P. *see* NARDINI, P
CARTER, N.D. *see* ROSBOTHAM, J.L.
CASADO, M. *see* RUBIO, E.A.
CASELLAS, P. *see* STOEBNER, P.E.
CASPER, C., SCHARFFETTER-KOCHANEK, K., BOHLEN, H., LINKE, R.P., KRIEG, T. & HUNZELMANN, N. Light chain multiple myeloma with peripheral leucocytosis presenting as scleroderma amyloidosum of the Aλ-type, 1172
CECCHI, R. & GIOMI, A. Pyogenic granuloma as a complication of cryosurgery for venous lake, 373
CELADA, A. *see* PALACIOS, I.
CERIO, R. *see* GRABCZYNSKA, S.A.
CHALLACOMBE, S.J. *see* SETTERFIELD, J.
CHALMERS, R.J.G. *see* BHUSHAN, M.
CHANG, S-E., CHOI, J.H. & KOH, J.K. Congenital erythrodermic psoriasis, 537
CHANG, S-H. *see* YOON, T-Y.
CHANG, Y.T., WONG, C.K., CHOW, K.C. & TSAI, C.H. Apoptosis in primary cutaneous amyloidosis, 210
CHAO, S-C. *see* SHEU, H-M.
CHAO, S-C. *see* WONG, T-W.
CHARLES-HOLMES, R. *see* NEELAM, M.
CHARMAN, C.R., VENN, A.J. & WILLIAMS, H.C. Measurement of body surface area involvement in atopic eczema: an impossible task?, 109
CHEN, D. *see* WALLENGREN, J.
CHEN, K-R. *see* YOMODA, M.
CHETTY, U. *see* DICKER, T.J.
CHIEREGATO, C. *see* BARBA, A.
CHIMANOVITCH, I. *see* SCHMIDT, E.
CHISIKI, M., KAWADA, A., AKIYAMA, M., ITOH, Y., TAJIMA, S., ISHIBASHI, A. & YUDATE, F. Bowen's disease showing spontaneous complete regression associated with apoptosis, 939
CHITONI, M. *see* TZEMOS, N.
CHIU, H-C. *see* LIAO, Y-H.
CHOI, E.H. *see* LEE, N.H.
CHOI, J.H. *see* CHANG, S-E.
CHOI, J.H. *see* JANG, K.A.
CHOI, J.W. & CHUNG, K.Y. Sweet's syndrome with systematic lupus erythematosus and herpes zoster, 1174
CHOI, J-H. *see* JANG, K.A.
CHOI, J-H. *see* JANG, K.A.
CHOI, W.K. *see* LEE, N.H.
CHOON, S.E. & KHOO, J.J. Coccidioidomycosis in Malaysia, 557
CHOONS, S.E. *see* STEVENS, H.P.
CHOU, N-K. *see* LIAO, Y-H.
CHOW, K.C. *see* CHANG, Y.T.
CHRISTIANO, A.M. *see* MCGRATH, J.A.
CHRISTOPHERS, E. *see* FÖLSTER-HOLST, R.
CHRISTOPHERS, E. *see* HAUSCHILD, A.
CHRISTOPHERS, E. *see* SWENSSON, O.
CHRISTOPHORIDIS, S. *see* HERTL, M.
CHU, S-H. *see* LIAO, Y-H.
CHUN, W.H. *see* YOO, J.H.
CHUNG, K.Y. *see* CHOI, J.W.
ÇIMSIT, G., ÖREM, A., DEGER, O., ALPAY, K., KIRAN, E. & ÖREM, C. Reply, 566
CLAUDY, A. *see* KANITAKIS, J
CLAUDY, A. *see* MISERY, L.
CLIFF, S., BEDLOW, A.J., STANTON, A.W.B. & MORTIMER, P.S. An *in vivo* study of the microlymphatics in psoriasis using fluorescence microlymphography, 61
CLIFF, S., PETTENGELL, R., GHARGE, S. & MARSDEN, R.A. B-cell lymphoma developing in a patient on cyclosporin for recalcitrant psoriasis, 763
CLINGEN, P.H. *see* WOOLLONS, A.
COCKAYNE, S.E., CORK, M.J. & GAWKRODGER, D.J. Treatment of psoriasis: day care vs. inpatient therapy, 375
COEBERGH, J.W.W *see* VAN DER RHEE, H.J.
COENRAADS, P.J. *see* VAN DER MEER, J.B.
COLEMAN, C.M., MUNRO, C.S., SMITH, F.J.D., UITTO, J. & MCLEAN, W.H.I. Epidermolytic palmoplantar keraoderma due to a novel type of keratin mutation, a 3-bp insertion in the keratin 9 helix termination motif, 485
COLLOBY, P. *see* BATTA, K.
COLOMBO, D. *see* CAMERA, E.
CONDOM, E. *see* GALLARDO, F.
CONTET-AUDONNEAU, J.L., JEANMAIRE, C. & PAULY, G. A histological study of human wrinkle structures: comparison between sun-exposed areas of the face, with or without wrinkles, and sun-protected areas, 1038
COOK, M.G. *see* BATAILLE, V.
COOK, M.G. *see* BEDLOW, A.J.
CORK, M.J. *see* COCKAYNE, S.E.
CORK, M.J. *see* KEMP, E.H.

CORNEJO, P., ROMERO, A., LÓPEZ, S., GUERRA, A., GIL, R. & IGLESIAS, L. Cutaneous and hepatic granulomas in a young woman with common variable immunodeficiency, 546
CORS, J.R. *see* GRAU SALVAT, C.
COSNES, A. *see* DUMAS, V.
COSTIGAN, C. *see* GOGGIN, N.
COTTERILL, J.A. *see* BATTA, K.
COURVILLE, P., WECHSLER, J., THOMINE, E., VERGIER, B., FONCK, Y., SOUTEYRAND, P., BEYLOT-BARRY, M., BAGOT, M. & JOLY, P. Pseudoepitheliomatous hyperplasia in cutaneous T-cell lymphoma. A clinical, histopathological and immunohistochemical study with particular interest in epithelial growth factor expression, 421
COX, D *see* SCHMID, P
COX, I. *see* ATHERTON, D.J.
COX, N.H. Pyoderma gangrenosum and myelofibrosis, 360
COX, N.H. The expanding role of nurses in surgery and prescribing in British departments of dermatology, 681
CREAM, J.J. *see* FARRELL, A.M.
CRIBIER, B., ASCH, P-H., REGNIER, C., RIO, M-C. & GROSSHANS, E. Expression of human hair keratin basic 1 in pilomatrixoma. A study of 128 cases, 600
CULLIGAN, D. *see* SHAH, S.A.A.
CURLEY, R.K. *see* BATAILLE, V.

D'ANGELO, V. *see* RICCI, G.
D'ANTUONO, A. *see* TOSTI, A.
D'ONGHIA, F.S. *see* BARBA, A.
DAHL, M.G.C. *see* LAWRENCE, C.M.
DALLEY, A.J. *see* RALSTON, D.R.
DALZIEL, K.L. *see* FARRELL, A.M.
DARVAY, A. *see* ACLAND, K.M.
DAS, P.K. *see* DINGEMANS, K.P.
DAVID, F. *see* WETTERWALD, E.
DAVIDSON, D. *see* OLHOFFER, I.H.
DAVIES, J.M. *see* SPEIGHT, E.L.
DAVISON, S., ALLEN, M., HARMER, A., VAUGHAN, R. & BARKER, J.N.W.N. Increased T-cell Vβ2 chain expression in skin homing lymphocytes in psoriasis, 845
DAWBER, R.P.R. *see* POWELL, J.J.
DE ALMEIDA BARBOSA JR, A., SALES GUIMARÃES, N., DE LOURDES LOPES, M., SADIGURSKY, M. & BITTENCOURT, M. Malignant melanoma and basal cell carcinoma in a combined tumour, 360
DE ALMEIDA, O.PAES *see* SCULLY, C.
DE ALOE, G. *see* FIMIANI, M.
DE BERKER, D.A.R. & LANGTRY, J. Treatment of subingal exostoses by elective day case surgery, 915
DE BIEVRE, C. *see* HADACEK, B.M.
DE GIORGI, V. *see* NARDINI, P
DE LOURDES LOPES, M. *see* DE ALMEIDA BARBOSA JR, A.
DE LUCAS, R. *see* RUBIO, F.A.
DE MAUBEUGE, J. *see* LATEUR, N.
DEAN, D. *see* FARRELL, A.M.
DEGER, O. *see* ÇIMSIT, G.
DEICHMANN, M. *see* JÄCKEL, A.
DEICHMANN, M. *see* WALDMANN, V.
DEL VILLAR, A. *see* GONZÁLEZ-LÓPEZ, A.
DELGADO-RODRÍGUEZ, M. *see* FARIÑAS-ÁLVAREZ, C.
DEROUIN, F. *see* KAC, G.
DESPLACES, N. *see* HADACEK, B.M.
DICKER, T.J., KAVANAGH, G.M., HERD, R.M., AHMAD, T., MCLAREN, K.M., CHETTY, U. & HUNTER, J.A.A. A rational approach to melanoma follow-up in patients with primary cutaneous melanoma, 249
DICKINSON, A.J. *see* LAWRENCE, C.M.
DIDIERJEAN, L. *see* ARECHALDE, A.
DIFFEY, B.L. *see* AZURDIA, R.M.
DIFFEY, B.L. *see* SARKANY, R.P.E.
DIFFEY, B.L. *see* STOKES, R.P.
DINGEMANS, K.P., RAMKEMA, M.D., KOOPMAN, G., VAN DER WAL, A.C., DAS, P.K. & PALS, S.T. The expression of CD44 glycoprotein adhesion molecules in basal cell carcinomas is related to growth pattern and invasiveness, 17
DIRSCHKA, T. *see* VON KOBYLETZKI, G.
DLOVA, N.C. *see* MORAR, N.
DOBRITZ, M. *see* FIELDLER, E.
DOMINGUEZ-CHERIT, J., TEIXEIRA, F. & ARENAS, R. Combined surgical and systemic treatment of onychomycosis, 779
DOOTSON, G. *see* FARRELL, A.M.
DOPPING-HEPENSTAL, P.J.C. *see* MCGRATH, J.A.
DOWNS, A.M.R., LEAR, J.T. & ARCHER, C.B. *Scytalidium hyalinum* onycomycosis successfully treated with 5% amorolfine nail lacquer, 555
DRÉNO, B. *see* JUMBOU, O.
DRÉNO, B. *see* TENAUD, I.
DU P.MENAGE, H. *see* BASARAB, T.
DUBERTRET, L. *see* RIZOVA, H.
DUBERTRET, L. *see* SENET, P.
DUFF, D. *see* GOGGIN, N.
DUMAS, V., ROUJEAU, J.C., WOLKENSTEIN, P., REVUZ, J. & COSNES, A. The treatment of mild pemphigus vulgaris and pemphigus foliaceus with a topcal corticosteroid, 1127
DUMMER, R. *see* FRITZ, T.M.
DUNN-WALTERS, D.K. *see* RATNAVEL, R.C.
DUPIN, N., RUBIN DE CERVENS, V., GORIN, I., CALVEZ, V., PESSIS, E., GRANDADAM, M., RABIAN, C., VIARD, J-P., HURAUX, J-M. & ESCANDE, J-P. The influence of highly active antiretroviral therapy on AIDS-associated Kaposi's sarcoma, 875
DUTHIE, M.S., KIMBER, I. & NORVAL, M. The effects of ultraviolet radiation on the human immune system, 995

EADY, R.A.J. *see* BASARAB, T.
EADY, R.A.J. *see* MCGRATH, J.A.
EBENEZER, G.J., BARKATAKI, A. & JOB, C.K. Leprosy relapse presenting in a histoid form after multidrug therapy, 759
EBERLEIN-KÖNIG, B., HEIN, R., ABECK, D., ENGST, R. & RING, J. Cutaneous sarcoid foreign body granulomas developing in sites of previous skin injury after systemic interferon-alpha treatment for chronic hepatitis C, 370

EDEFONTI, A. *see* RONGIOLETTI, F.
EDWARDS, A. *see* AZURDIA, R.M.
EDWARDS, S. *see* FARRELL, A.M.
EGAN, C.A., HANIF, N., TAYLOR, T.B., MEYER, L.J., PETERSEN, M.J. & ZONE, J.J. Characterisation of the antibody response in oesophageal cicatricial pemphigoid. 859
EGGNIK, H.F. *see* VAN DER MEER, J.B.
EL-EUCH, D. MOKNI, M., TROJJET, S., KHOUAJA, A. & BEN OSMAN, A. Sarcoidosis in a child treated successfully with allopurinol. 1184
ELSNER, P. *see* BERNDT, U.
EMTESTAM, L *see* LAPINS, J
ENGEL, G. *see* HAUSCHILD, A.
ENGST, R. *see* EBERLEIN-KÖNIG, B.
ENRIGHT, F. *see* GOGGIN, N.
ESCANDE, J-P. *see* DUPIN, N.
ESPAÑA, A., SANZ, M.L., SOLA, J. & GIL, P. Wells' syndrome (eosinophilic cellulitis): correlation between clinical activity, eosinophil levels, eosinophil caion protein and interleukin-5. 127
ESTRACH, T. *see* FERRA, C.

FABBRI, P. *see* CAPRONI, M.
FARIÑAS-ÁLVAREZ, C., RÓDENAS, J.M., HERRANZ, M.T. & DELGADO-RODRÍGUEZ, M. The naevus count on the arms as a predictor of the number of melanocytic naevi on the whole body. 456
FARRELL, A.M., DEAN, D. & WOJNAROWSKA, F. Lichen sclerosus:evidence that immunological changes occur at all levels of the skin. 1087
FARRELL, A.M., HENRY, K., WOODROW, D., FRANCIS, N., NEWLANDS, E.S., MITCHELL, D.N. & CREAM, J.J. Cutaneous granulomas associated with high-grade T-cell non-Hodgkin's lymphoma. 145
FARRELL, A.M., KIRTSCHIG, G., DALZIEL, K.L., ALLEN, J., DOOTSON, G., EDWARDS, S. & WOJNAROWSKA, F. Childhood vulval pemphigoid: a clinical and immunopathological study of five patients. 308
FARRELL, A.M., ROSS, J.S. & BUNKER, C.B. Eosinophilic fasciitis associated with autoimmune thyroid disease and myelodysplasia treated with pulsed methylprednisolone and antihistamines. 1185
FAURE, M. *see* KANITAKIS, J
FAZZA, B *see* JOLY, P.
FELLNER, F. *see* FIELDLER, E.
FERRA, C., SERVITJE, O., PÉTRIZ, L., ESTRACH, T., MARTÍ, R., LIMÓN, A., GUITERREZ, C., BLANCO, A., GUEDA, F., PEYRÍ, J. & GRAÑENA, A. Autologous haematopoietic progenitor transplantation in advanced mycosis fungoides. 1188
FEUILHADE DE CHAUVIN, M. *see* KAC, G.
FIEDLER, V.C. *see* LI, L-F.
FIELDLER, E., FELLNER, F., MAHLER, V. & DOBRITZ, M. Cutaneous osteoma of the scalp. 547
FILSELL, W., RUDMAN, S., JENKINS, G. & GREEN, M.R. Coordinate upregulation of tenascin C expression with degree of photodamage in human skin. 592
FIMIANI, M., RUBEGNI, P., DE ALOE, G., BILENCHI, R. & ANDREASSI, L. Squamous cell carcinoma of the leg in a patient with prolidase deficiency. 362
FINLAY, A.Y. *see* MALLON, E.
FOLCHETTI, G. *see* RICHARD, M.A.
FOLSTER-HOLST, R. *see* MEMPEL, M.
FÖLSTER-HOLST, R., SWENSSON, O., STOCKFLETH, E., MÖNIG, H., MROWIETZ, U. & CHRISTOPHERS, E. Comel–Netherton syndrome complicated by papillomatous skin lesions containing human papillomaviruses 51 and 52 and plane warts containing human papillomavirus 16. 1139
FONCK, Y. *see* COURVILLE, P.
FORSEA, D. *see* POPESCU, R.
FOULDS, I.S. *see* BATTA, K.
FOULDS, I.S. *see* BOURKE, J.F.
FRANCIS, D.M. *see* O'DONNELL, B.F.
FRANCIS, D.M. *see* SABROE, R.A.
FRANCIS, N. *see* FARRELL, A.M.
FRASER-ANDREWS, E. *see* WHITTAKER, S.
FRASER-ANDREWS, E., ASHTON, R. & RUSSELL-JONES, R. Pilotropic mycosis fungoides presenting with multiple cysts, comedones and alopecia. 141
FRAZER-ANDREWS, E. *see* RATNAVEL, R.C.
FRÉCHIN, N. *see* STOEBNER, P.E.
FREEDLANDER, E. *see* RALSTON, D.R.
FREITAG, M. *see* VON KOBYLETZKI, G.
FRENTZ, G. & OLSEN, J.H. Malignant tumours and psoriasis: a follow-up study. 237
FRITSCH, P. *see* SCHMUTH, M.
FRITZ, T.M., KLEINHANS, M., NESTLE, F.O., BURG, G. & DUMMER, R. Combination treatment with extracorporeal photopheresis interferon-α and interleukin-2 in a patient with the Sézary syndrome. 1144
FUJIMURA, T. *see* TSUKAHARA, K.
FUJIOKA, A. *see* AKAGI, A.
FUJITA, S. *see* YASUKAWA, M.
FUKUTI, R. *see* IWATSUKI, K.
FURUE, M. *see* NISHIE, H.
FURUE, M., KOGA, T. & YAMASHITA, N. Soluble E-selectin and eosinophil cationic protein are distinct serum markers that differentially represent clinical features of atopic dermatitis. 67
FUSHIDA, Y. *see* TANIUCHI, K.
FUZIBET, J-G. *see* PASSERON, T.

GABAUER, S. *see* NENOFF, P.
GALLARDO, E., JUAN, A., CONDOM, E., GUILLÉN, J.J., SOLÉ, M. & VIDALLER, A. Familial primary localized amyloidosis L. 545
GAMBINI, C. *see* RONGIOLETTI, F.
GANTENBEIN, C. *see* SEITER, S.
GARCÍA-HERNANDEZ, M.J. *see* CAMACHO MARTINEZ, F.
GARCÍA-JIMENEZ, J.A. *see* RUBIO, F.A.
GARRED, P. *see* BRANDRUP, F.
GATTER, K. *see* POWELL, J.J.
GATTERMAN, N. *see* SCHÖN, M.P.
GAUDILLERE, A. *see* MISERY, L.

GAULT, D. *see* LIEW, S.H.
GAWKRODGER, D.J. Editor's choice, 1
GAWKRODGER, D.J. Editor's choice, 193
GAWKRODGER, D.J. Editor's choice, 379
GAWKRODGER, D.J. Editor's choice, 571
GAWKRODGER, D.J. Editor's choice, 813
GAWKRODGER, D.J. Editor's choice, 993
GAWKRODGER, D.J. *see* COCKAYNE, S.E.
GAWKRODGER, D.J. *see* KELLETT, S.C.
GAWKRODGER, D.J. *see* KEMP, E.H.
GENDIMENICO, G.J. *see* MEZICK, J.A.
GHARGE, S. *see* CLIFF, S.
GHARRAIE, S. *see* ROSBOTHAM, J.L.
GHIO, L. *see* RONGIOLETTI, F.
GHOHESTANI, R.F. *see* SWENSSON, O.
GIL, P. *see* ESPAÑA, A.
GIL, R. *see* CORNEJO, P.
GILBERT, D *see* JOLY, P.
GILBERT, D. *see* PASSERON, T.
GILKES, J.J.H. *see* SCULLY, C.
GINEVRI, F. *see* RONGIOLETTI, F.
GINSBURG, C. *see* BLANCHE, P.
GIOMI, A. *see* CECCHI, R.
GIUDICE, G.J. *see* SCHMIDT, E.
GLÄSER, R *see* HAUSCHILD, A.
GLAZENBURG, E.J. *see* VAN DER MEER, J.B.
GLUSAC, E.J. *see* OLHOFFER, I.H.
GOERZ, G. *see* SCHÖN, M.P.
GOGGIN, N., ENRIGHT, F., COSTIGAN, C., DUFF, D., OSLIZLOK, P., WOOD, A.E. & WATSON, R. Striae and acne following cardiac surgery in a child, 734
GOMBERT, B. *see* BLANCHE, P.
GONDO, T. *see* NISHIOKA, K.
GONZÁLEZ-LÓPEZ, A., VELASCO, E., POZO, T. & DEL VILLAR, A. HIV-associated pityriasis rubra pilaris responsive to triple antiretrovial therapy, 931
GORIN, I. *see* DUPIN, N.
GORSKI, A. *see* KIRTSCHIG, G
GOTTLÖBER, P. *see* GRUNDMANN-KOLLMANN, M.
GOUVERNET, J. *see* RICHARD, M.A.
GRABCZYNSKA, S.A. & CERIO, R. Infective endocarditis associated with atopic eczema, 1193
GRABCZYNSKA, S.A. & HOLDEN, C.A. Tufted folliculitis in a 10-year-old child, 975
GRABCZYNSKA, S.A., MCGREGOR, J.M., KONDEATIS, E., VAUGHAN, R.W. & HAWK, J.L.M. Actinic prurigo and polymorphic light eruption: common pathogenesis and the importance of HLA-DR4/DRB1*0407, 232
GRAHAM-BROWN, R.A.C. *see* OSBORNE, J.E.
GRANDADAM, M. *see* DUPIN, N.
GRAÑENA, A. *see* FERRA, C.
GRATTAN, C.E.H. *see* SABROE, R.A.
GRAU SALVAT, C., PONT, V., CORS, J.R. & ALIAGA, A. Hereditary sclerosing poikiloderma of Weary: report of a new case, 366
GREAVES, M.W. *see* O'DONNELL, B.F.
GREAVES, M.W. *see* POON, E.
GREAVES, M.W. *see* SABROE, R.A.
GREEN, C. *see* LIEW, S.H.
GREEN, M.H.L. *see* WOOLLONS, A.
GREEN, M.R. *see* FILSELL, W.
GRIFFIN, C. *see* ACLAND, K.M.
GRIFFITHS, C.E.M. *see* LYON, C.C.
GRIFFITHS, W.A.D. *see* ALVES, G.F.
GROB, J.J. *see* RICHARD, M.A.
GROBBELAAR, A. *see* LIEW, S.H.
GROSSHANS, E. *see* CRIBIER, B.
GRUNDMANN-KOLLMANN, M. *see* KASKEL, P.
GRUNDMANN-KOLLMANN, M., LEITER, U., BEHRENS, S., GOTTLÖBER, P., MOOSER, G., KRÄHN, G. & KERSCHER, M. The time course of phototoxicity of topical PUVA: 8-methoxypsoralen cream-PUVA vs. 8-methoxypsoralen gel-PUVA, 988
GUARCH, R. *see* PEREZ, C.
GUEDA, F. *see* FERRA, C.
GUERRA, A. *see* CORNEJO, P.
GUILLÉN, J.J. *see* GALLARDO, F.
GUITERREZ, C. *see* FERRA, C.
GUPTA, G., BURDEN, A.D. & ROBERTS, D.T. Acute suppurative ringworm (kerion) caused by *Trichophyton rubrum*, 369
GUPTA, G., LONG, J. & TILLMAN, D.M. The efficacy of narrowband ultraviolet B phototherapy in posriasis using objective and subjective outcome measures, 887
GUPTA, G., MOHAMED, M. & KEMMETT, D. Familial hydroa vacciniforme, 124
GUSHI, A. *see* KANEKURA, T.
GUSHI, A. *see* KAWABATA, H.

HA, S-J. *see* LEE, H-J.
HAAPASAARI, K-M. *see* KARVONEN, S-L.
HADACEK, B.M., NASSIF, A., ROUX, A., DESPLACES, N., HUERRE, M., DE BIEVRE, C., AERTS, J. & RAGUIN, G. *Trichophyton tonsurans* dermatophyte granuloma in an HIV-1 infected patient, 762
HAFNER, J. & KÜNZI, W. Full-thickness skin graft for combined skin and partial cartilage defect of the nose tip, 775
HAGARI, Y. *see* MIYAMOTO, T.
HALL, R.P. *see* RICO, M.J.
HAMM, H., SCHWINN, A., BRÄUTIGAM, M. & WEIDINGER, G. Short duration treatment with terbinafine for tinea capitis caused by *Trichophyton* or *Microsporum* species, 479
HAN, G-W. *see* IWATSUKI, K.
HANADA, K. *see* MAYAMA, M.
HANDFIELD-JONES, S. Reply, 567
HANIF, N. *see* EGAN, C.A.
HANN, I. *see* ATHERTON, D.J.
HAPPLE, R. *see* KIRTSCHIG, G
HARA, K. *see* TAMADA, Y.
HARADA, H. *see* OHTSUKA, M.
HARMAN, K.E. & BLACK, M.M. High-dose intravenous immune globulin for the treatment of autoimmune blistering diseases: an evaluation of its use in 14 cases, 865
HARMER, A. *see* DAVISON, S.

HARPER, J.I. *see* MCGRATH, J.A.
HARRIS, A.J. *see* MILLARD, T.P.
HARRISON, P.V. *see* KIRBY, B.
HARRISON, P.V. *see* SINHA, A.
HARVIMA, I.T. *see* ACKERMANN, L.
HARVIMA, R.J. *see* ACKERMANN, L.
HASHIMOTO, I. *see* MAYAMA, M.
HASHIMOTO, K. *see* AMAGAI, M.
HASHIMOTO, T. *see* AMAGAI, M.
HASHIMOTO, T. *see* MORI, O.
HASHIMOTO, T. *see* YOMODA, M.
HASSINEN, I.E. *see* KARVONEN, S-L.
HAUSCHILD, A., ENGEL, G., BRENNER, W., GLÄSER, R., MÖNIG, H., HENZE, E. & CHRISTOPHERS, E. Predictive value of serum S100B for monitoring patients with metastatic melanoma during chemotherapy and/or immunotherapy, 1065
HAUSCHILD, A., SWENSSON, O. & CHRISTOPHERS, E. Paraneoplastic bullous pemphigoid resembling erythema gyratum repens, 550
HAUSTEIN, U-F. *see* NENOFF, P.
HAUTECOEUR, P. *see* VANHOOTEGHEM, O.
HAVU, V., BRANDT, H., HEIKKILÄ, H., HOLLMEN, A., OKSMAN, R., RANTANEN, T., SAARI, S., STUBB, S., TURJANMAA, K. & PIEPPONEN, T. Continous and intermittent itraconazole dosing schedules for the treatment of onychomycosis: a pharmacokinetic comparison, 96
HAWK, J.L.M. *see* GRABCZYNSKA, S.A.
HAYAKAWA, K. & SHIOHARA, T. Coexstence of psoriasis and familial benign chronic pemphigus: efficacy of ultraviolet B treatment, 374
HEDBLAD, M-A. *see* BALDURSSON, B.T.
HEIKKILÄ, H. *see* HAVU, V.
HEIN, R. *see* EBERLEIN-KÖNIG, B.
HEINZ-ERIAN, P. *see* HÖGLER, W.
HELD, E. *see* WOLFF, H.
HENNIES, H.C. *see* STEVENS, H.P.
HENRY, K. *see* FARRELL, A.M.
HENZ, B.M., JABLONSKA, S., VAN DE KERKHOF, P.C.M., STINGL, G., BLASZCZYC, M., VANDERVALK, P.G.M., VEENHUIZEN, R., MUGGLI, R. & RAEDERSTORFF, D. Double-blind, multicentre analysis of the efficacy of borage oil in patients with atopic eczema, 685
HENZE, E. *see* HAUSCHILD, A.
HERD, R.M. *see* DICKER, T.J.
HERMIER, M. *see* MISERY, L.
HERNANDEZ, R. *see* PEREZ, C.
HERRANZ, M.T. *see* FARIÑAS-ÁLVAREZ, C.
HERRANZ, P. *see* RUBIO, F.A.
HERTL, M. *see* ARECHALDE, A.
HERTL, M., BÜDINGER, L., CHRISTOPHORIDIS, S., YANCEY, K.B. & BORRADORI, L. IgG and IgA antibodies in linear IgA/IgG bullous dermatosis target the ectodomain of bullous pemphigoid antigen 2, 750
HERZELE, K. *see* SCHMIDT, E.
HIGO, A. *see* KAWABATA, H.
HILL, S. *see* MAURICE, P.D.L.
HINDSON, C. *see* BATTA, K.
HINNEN, U. *see* BERNDT, U.
HIPLER, U-C. *see* KARAMFILOV, T.
HIRAYAMA, K. *see* MAYAMA, M.
HOEGER, P.H. *see* MCGRATH, J.A.
HOFFMANN, K. *see* VON KOBYLETZKI, G.
HÖGLER, W., SIDOROFF, A., WEBER, F., BALDISSERA, I. & HEINZ-ERIAN, P. Aplasia cutis congenita, uvula bifida and bilateral retinal dystrophy in a girl with naevus sebaceous syndrome, 542
HOLDEN, C.A. *see* GRABCZYNSKA, S.A.
HOLDEN, C.A. *see* ROSBOTHAM, J.L.
HOLLMEN, A. *see* HAVU, V.
HOLME, S.A. & LEVER, R.S. Latex allergy in atopic children, 919
HOMBURG, K.M. *see* BRANDRUP, F.
HONDA, A. *see* OCHIAI, T.
HORSMANHEIMO, M. *see* ACKERMANN, L.
HOSHII, Y. *see* NISHIOKA, K.
HOWLETT, S. Emotional dysfunction, child–family relationships and childhood atopic dermatitis, 381
HÖXTERMANN, S. *see* VON KOBYLETZKI, G.
HSIAO, C-H. *see* LIAO, Y-H.
HSIAO, G-H. *see* LIAO, Y-H.
HUERRE, M. *see* HADACEK, B.M.
HUNTER, J.A.A. *see* DICKER, T.J.
HUNTER, J.A.A. *see* MUNRO, C.S.
HUNZELMANN, N. *see* CASPER, C.
HURAUX, J-M. *see* DUPIN, N.
HUSAIN, A. *see* SHAH, S.A.A.
HUTCHINSON, P.E. & THOMPSON, J.R. The size and form of the medulla of human scalp hair is regulated by the hair cycle and cross-sectional size of the the hair shaft, 438
HUTCHINSON, P.E. *see* OSBORNE, J.E.
HYND, P.I. *see* BATES, E.J.

ICHIHASHI, M. *see* AHMED, N.U.
ICHIHASHI, M. *see* NAGANO, T.
ICHIHASHI, M. *see* WASHIO, F.
IGLESIAS, L. *see* CORNEJO, P.
IGUCHI, M. *see* IWATSUKI, K.
III, R.P. *see* RICO, M.J.
IKEYA, T. *see* TAMADA, Y.
ILIEV, D. *see* BERNDT, U.
ILLERSPERGER, B. *see* SCHMUTH, M.
IMAI, S. & UMEZU, H. Cutaneous T-cell lymphoma occurring with intestinal B-cell lymphoma, 972
IMAYAMA, S. *see* NISHIE, H.
IMAYAMA, S. *see* TSUKAHARA, K.
IMOKAWA, G. *see* TSUKAHARA, K.
INAYAMA, Y. *see* SASAKI, T.
INAZUMI, T. *see* TAJIMA, S.
INOUE, M. *see* YOMODA, M.
IRVINE, A.D. & MCLEAN, W.H.I. Human keratin diseases: the increasing spectrum of disease and subtlety of the phenotype–genotype correlation, 815

ISHIBASHI, A. *see* AKAGI, A.
ISHIBASHI, A. *see* CHISIKI, M.
ISHII, M. *see* TSURUTA, D.
ISHIKAWA, O., TAKAHASHI, A., TAMURA, A. & MIYACHI, Y. Cutaneous papules and nodules in the diagnosis of the antiphospholipid syndrome, 725
ISOHERRANEN, K., PUNNONEN, K., JANSEN, C. & UOTILA, P. Ultraviolet irradiation induces cyclooxygenase-2 expression in keratinocytes, 1017
ITIN, P *see* SCHMID, P
ITO, A. *see* WASHIO, F.
ITO, Y., WATANABE, S., USUI, Y., SAHARA, R., KITAMURA, S. & MATSUKAWA, A. Expression of cytokeratin antigen 20 in perianal Paget's disease, 1169
ITOH, Y. *see* CHISIKI, M.
IWAHARA, K., KOIKE, M. & OGAWA, H. Pigmented follicular cyst showing degenerating pigmented hair shafts on histology, 364
IWANAMI, H. *see* AMAGAI, M.
IWATA, T. *see* NISHIOKA, K.
IWATSUKI, K. *see* OHTSUKA, M.
IWATSUKI, K., HAN, G-W., FUKUTI, R., OHTSUKA, M., KIKUCHI, S., AKIBA, H. & KANEKO, F. Internalization of constitutive desmogleins with the subsequent induction of desmoglein 2 in pemphigus lesions, 35
IWATSUKI, K., XU, Z., TAKATA, M., IGUCHI, M., OHTSUKA, M., AKIBA, H., MITSUHASHI, Y., TAKENOSHITA, H., SUGIUCHI, R., TAGAMI, H. & KANEKO, F. The association of latent Epstein–Barr virus infection with hydroa vacciniforme, 715
IZAKI, S. *see* TAJIMA, S.
IZUMI, T. *see* SATOH, S.

JABLONSKA, S. *see* HENZ, B.M.
JÄCKEL, A. *see* WALDMANN, V.
JÄCKEL, A., DEICHMANN, M., WALDMANN, V., BOCK, M. & NÄHER, H. Regression of metastic angiosarcoma of the skin after systemic treatment with liposome-encapsulated doxorubicin and interferon-α, 1187
JANG, K.A., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Molluscum folliculitis in the absence of HIV infection, 171
JANG, K.A., LEE, H.J., CHOI, J.H., SUNG, K.J., KOH, J.K. & MOON, K.C. Generalized eruptive histiocytoma of childhod, 174
JANG, K.A., LEE, H-K., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Perforating disorder on the sole of the foot, 176
JANSEN, C. *see* ISOHERRANEN, K.
JARSTRAND, C *see* LAPINS, J
JEANMAIRE, C. *see* CONTET-AUDONNEAU, J.L.
JEFFERY, S. *see* ROSBOTHAM, J.L.
JEMEC, G.B.E. *see* LINNET, J.
JENKINS, G. *see* FILSELL, W.
JENSEN, C.H., SCHRØDER, H.D., TEISNER, B., LAURSEN, I., BRANDRUP, F. & RASMUSSEN, H.B. Fetal antigen 1, a member of the epidermal growth factor superfamily in neurofibromas and serum from patients with neurofibromatosis type 1, 1054
JOB, C.K. *see* EBENEZER, G.J.
JOBLING, R. *see* SARKANY, R.P.E.
JOHN, J. *see* ALVES, G.F.
JOLLES, S., NICLASSE, S. & BENSON, E. Combination oral and topical tacrolimus in therapy-resistant pyoderma gangrenosum, 564
JOLLIFFE, V.M.L. *see* BASARAB, T.
JOLY, P. *see* COURVILLE, P.
JOLY, P., MOKHTAR, I., GILBERT, D., THOMINE, E., FAZZA, B., BARDI, R., LAURET, P., AYED, K., TRON, F & KAMOUN, M.R. Immunoblot and immunoelectronmicroscopic analysis of endemic Tunisian pemphigus, 44
JONES, K.T. *see* PARSLEW, R.
JONES, S.K. Ocular toxicity and hydroxychloroquine: guidelines for screening, 3
JONES, S.K. *see* PAGLIARO, J.A.
JUAN, A. *see* GALLARDO, F.
JUMBOU, O. *see* TENAUD, I.
JUMBOU, O., N'GUYEN, J.M., TESSIER, M.H., LEGOUX, B. & DRÉNO, B. Long-term follow-up in 51 patients with mycosis fungoides and Sézary syndrome treated by interferon-alfa, 427
JUNGHANS, V & RÜNGER, T.M. Hypertriglyceridaemia following adjuvant interferon-α treatment in two patients with malignant melanoma, 183

KAC, G., BOUGNOUX, M.E., FEUILHADE DE CHAUVIN, M., SENE, S. & DEROUIN, F. Genetic diversity among *Trichophyton mentagrophytes* isolates using random amplified polymorphic DNA method, 839
KADONO, T. *see* KASHIMA, M.
KAGOURA, M. *see* SAKITA, S.
KAJIYA, H. *see* TAJIMA, S.
KALLASSY, M. *see* NAGANO, T.
KALLIOINEN, M. *see* KARVONEN, S-L.
KAMOUN, M.R. *see* JOLY, P.
KANBARA, T. *see* SASAKI, T.
KANEDA, K. *see* TSURUTA, D.
KANEKO, F. *see* IWATSUKI, K.
KANEKO, F. *see* OHTSUKA, M.
KANEKO, R. *see* KATO, F.
KANEKO, R. *see* OHTSUKA, M.
KANEKURA, T. *see* KAWABATA, H.
KANEKURA, T., GUSHI, A. & KANZAKI, T. Purified protein derivative treatment for skin lesions of adult T-cell leukaemia/lymphoma, 767
KANG, D.S *see* YOO, J.H.
KANITAKIS, J. PETIOT-ROLAND, A., SOUILLET, A-L., FAURE, M. & CLAUDY, A. Sebaceous adenomas with atypical immunohistochemical features in the Muir–Torre syndrome, 749
KANITAKIS, J. *see* MISERY, L.
KANZAKI, T. *see* KANEKURA, T.
KANZAKI, T. *see* KAWABATA, H.
KARAMFILOV, T., WILMER, A., HIPLER, U-C. & WOLLINA, U. Cetirizine-induced urticarial reaction, 979

KARRER, S., SZEIMIES, H.R-M., ABELS, C., WLOTZKE, U., STOLZ, W. & LANDTHALER, M. Epidermodysplasia verruciformis treated using topical 5-aminolevulinic acid photodynamic therapy, 935
KARVONEN, S-L., HAAPASAARI, K-M., KALLIOINEN, M., OIKARINEN, A., HASSINEN, I.E. & MAJAMAA, K. Increased prevalence of vitiligo, but no evidence of premature ageing, in the skin of patients with bp 3243 mutation in mitochondrial DNA in the mitochondrial encephalomyopathy, lactic acidosis and stroke-like episodes syndrome (MELAS), 634
KASHIMA, M., MORI, K., KADONO, T., NAKABAYASHI, Y., SHIBAYAMA, E. & MIZOGUCHI, M. Tuberculide of the penis without ulceration, 757
KASKEL, P., GRUNDMANN-KOLLMANN, M., SCHILLER, P.I., KRÄHN, G., PILLEKAMP, H., PETER, R.U. & KERSCHNER, M. Bath-PUVA as a treatment for pityriasis rubra pilaris provoked by ultraviolet B, 769
KATAYAMA, I. SAWADA, Y. & NISHIOKA, K. The seborrhoeic pattern of dermatomyositis, 978
KATAYAMA, I. *see* YAMAMOTO, T.
KATO, F., SAGA, K., MORIMOTO, Y. & KANEKO, R. Pilocarpine-induced cholinergic sweat secretion compared with emtional sweat secretion in atopic dermatitis, 1110
KAUTZA, M. *see* MEMPEL, M.
KAVANAGH, G.M. *see* DICKER, T.J.
KAWABATA, H., KANEKURA, T., GUSHI, A., SHIMADA, H., HIGO, A., USUKI, K. & KANZAKI, T. Successful treatment of digital ulceration in Buerger's disease with nicotine chewing gum, 187
KAWADA, A. *see* AKAGI, A.
KAWADA, A. *see* CHISIKI, M.
KAWAKAMI, T. & SAITO, R. Acquired reactive perforating collagenosis associated with diabetes mellitus: eight cases that meet Faver's criteria, 521
KAWAKAMI, T. & SAITO, R. The relationship between facial annular erythema and anti-SS-A/Ro antibodies in three East Asian women, 136
KAWARA, S. *see* TANIUCHI, K.
KAWASHIMA, Y. *see* TSUTSUI, K.
KAYASHIMA, K-I *see* MARUO, K.
KELLETT, S.C. & GAWKRODGER, D.J. The psychological and emotional impact of acne and the effect of treatment with isotretinoin, 273
KELSELL, D.P. *see* STEVENS, H.P.
KEMMETT, D. *see* GUPTA, G.
KEMP, E.H., AJJAN, R.A., WATERMAN, E.A., GAWKRODGER, D.J., CORK, M.J., WATSON, P.F. & WEETMAN, A.P. Analysis of a microsatellite polymorphism of the cytotoxic T-lymphocyte antigen-4 gene in patients with vitiligo, 73
KENNEDY, U. *see* O'TOOLE, E.A.
KERL, H. *see* RIEGER, E.
KERSCHER, M. *see* GRUNDMANN-KOLLMANN, M.
KERSCHNER, M. *see* KASKEL, P.
KHANAKAHA, G. *see* BREIER, F.H.
KHOO, J.J. *see* CHOON, S.E.
KHOUAJA, A. *see* EL-EUCH, D
KIKUCHI, S. *see* IWATSUKI, K.
KIKUCHI, S. *see* OHTSUKA, M.
KILKENNY, M. *see* MARKS, R.
KILKENNY, M. *see* MERLIN, K.
KIM, I.H. *see* SON, S.W.
KIM, J.G. *see* SON, S.W.
KIM, J-W. *see* LEE, H-J.
KIMBER, I. *see* DUTHIE, M.S.
KIPP, C. *see* WOOLLONS, A.
KIRAN, E. *see* ÇIMSIT, G.
KIRBY, B. & HARRISON, P.V. Combination low-dose cyclosporin (Neoral) and hydroxyurea for severe recalcitrant psoriasis, 186
KIRBY, B. *see* LYON, C.C.
KIRBY, B., BUCKLEY, D.A. & ROGERS, S. Large increments in psoralen–ultraviolet A (PUVA) therapy are unsuitable for fair-skinned individuals with psoriasis, 661
KIRTSCHIG, G., MITTAG, H., WOLF, M., GORSKI, A. & HAPPLE, R. Three different autoimmune bullous diseases in one family: is there a common genetic base?, 322
KIRTSCHIG, G. *see* FARRELL, A.M.
KISHIMOTO, S. *see* NAGATA, M.
KITAHARA, T. *see* TSUKAHARA, K.
KITAJIMA, Y. *see* AMAGAI, M.
KITAJIMA, Y. *see* SATOH, S.
KITAMURA, S. *see* ITO, Y.
KITTLER, H. *see* SCHNIDER, P.
KLASSEN, A. *see* MALLON, E.
KLEINHANS, M. *see* FRITZ, T.M.
KOBZA BLACK, A. *see* O'DONNELL, B.F.
KOBZA BLACK, A. *see* SABROE, R.A.
KOBZA-BLACK, A. *see* POON, E.
KOCKAERT, M. *see* VAN GEEL, N.A.C.
KODAMA, K. *see* KOIZUMI, H.
KOGA, T. *see* FURUE, M.
KOH, D. & ONG, C-N. Phytophotodermatitis due to the application of *Citrus hystrix* as a folk remedy, 737
KOH, J.K. *see* CHANG, S-E.
KOH, J.K. *see* JANG, K.A.
KOH, J-K. *see* JANG, K.A.
KOH, J-K. *see* JANG, K.A.
KOHLE, P. *see* SHAH, S.A.A.
KOIKE, M. *see* IWAHARA, K.
KOIZUMI, H. *see* SATO-MATSUMURA, K.C.
KOIZUMI, H., KODAMA, K., TSUJI, Y., MATSUMURA, T., NABESHIMA, M. & OHKAWARA, A. CD34-positive dendritic cells are an intrinsic part of smooth muscle hamartoma, 172
KOMAI, A. *see* AMAGAI, M.
KONDEATIS, E. *see* GRABCZYNSKA, S.A.
KOOPMAN, G. *see* DINGEMANS, K.P.
KRÄHN, G. *see* GRUNDMANN-KOLLMANN, M.
KRÄHN, G. *see* KASKEL, P.
KRASAGAKIS, K. *see* TREUDLER, R.
KRIEG, T. *see* CASPER, C.
KUMAR, R. *see* LI, L-F.
KUNTE, C. *see* WOLFF, H.

KÜNZI, W. *see* HAFNER, J.
KURWA, A. *see* BEDLOW, A.J.

LACEY, J.H. *see* MORGAN, J.F.
LACHAUX, A. *see* MISERY, L.
LACHERETZ, F. *see* RIZOVA, H.
LACOUR, J-P. *see* PASSERON, T.
LAKE, B.D. *see* MCGRATH, J.A.
LANDTHALER, M. *see* KARRER, S.
LANG, K. *see* SCHÖN, M.P.
LANGE, I. *see* MEMPEL, M.
LANGMACK, K. *see* SARKANY, R.P.E.
LANGTRY, J. *see* DE BERKER, D.A.R.
LANIGAN, S.W. *see* VARMA, S.
LANIGAN, S.W. *see* VARMA, S.
LAPINS, J. JARSTRAND, C & EMTESTAM, L. Coagulase-negative staphylococci are the most common bacteria found in cultures from the deep portions of hidradentis suppurativa lesions, as obtained by carbon dioxide laser surgery, 90
LATEUR, N. *see* VANHOOTEGHEM, O.
LATEUR, N., ANDRÉ, J., DE MAUBEUGE, J., PONCIN, M. & SONG, M. Tinea capitis in two black African adults with HIV infection, 722
LAURET, P *see* JOLY, P.
LAURSEN, I. *see* JENSEN, C.H.
LAWRENCE, C.M., DAHL, M.G.C., DICKINSON, A.J. & MALCOLM, A.J. Reply, 775
LAYTON, C. *see* RALSTON, D.R.
LE CLEACH, L. *see* WETTERWALD, E.
LE POOLE, I.C. & BOYCE, S.T. Keratinocytes suppress transforming growth factor-β1 expression by fibroblasts in cultured skin substitutes, 409
LEAR, J.T. *see* DOWNS, A.M.R.
LEBOIT, P.E. *see* RIEGER, E.
LECLECH, C. *see* MAILLARD, H.
LEE, H.J. *see* JANG, K.A.
LEE, H-J., ROH, K-Y., HA, S-J. & KIM, J-W. Pitted keratolysis of the palm arising after herpes zoster, 974
LEE, H-K. *see* JANG, K.A.
LEE, H-T. *see* YOON, T-Y.
LEE, J.Y-Y. *see* SHEU, H-M.
LEE, J.Y-Y. *see* WONG, T-W.
LEE, K.H. *see* YOO, J.H.
LEE, N.H., CHOI, E.H., CHOI, W.K., LEE, S.H. & AHN, S.K. Maffucci's syndrome with oral and intestinal haemangioma, 968
LEE, S.H. *see* LEE, N.H.
LEE, W.J. *see* YOO, J.H.
LEFFELL, D. *see* OLHOFFER, I.H.
LEGOUX, B. *see* JUMBOU, O.
LEIGH, I.M. *see* MCGRATH, J.A.
LEITER, U. *see* GRUNDMANN-KOLLMANN, M.
LEVER, R.S. *see* HOLME, S.A.
LI, L-F., FIEDLER, V.C. & KUMAR, R. Induction of hair growth by skin irritants and its relation to skin protein kinase C isoforms, 616
LI, L-J. *see* SHAPIRO, M.
LIAO, Y-H., CHU, S-H., HSIAO, G-H, CHOU, N-K., WANG, S-S. & CHIU, H-C. Majocchi's granuloma caused by *Trichophyton tonsurans* in a cardiac transplant recipient, 1194
LIAO, Y-H., HSIAO, G-H. & HSIAO, C-H. Behçet's disease with cutaneous changes resembling polyarteritis nodosa, 368
LIEBEL, F.T. *see* MEZICK, J.A.
LIEW, S.H., GROBBELAAR, A., GAULT, D., SANDERS, R., GREEN, C. & LINGE, C. Hair removal using the ruby laser: clinical efficacy in Fitzpatrick skin types I–V and histological changes in epidermal melanocytes, 1105
LIMÓN, A. *see* FERRA, C.
LINDBERG, M. *see* LODÉN, M
LINDELÖF, B. *see* BALDURSSON, B.T.
LINGE, C. *see* LIEW, S.H.
LINKE, R.P. *see* CASPER, C.
LINNET, J. & JEMEC, G.B.E. An assessment of anxiety and dermatology life quality in patients with atopic dermatitis, 268
LITOUX, P. *see* TENAUD, I.
LITTLEWOOD, S.M. *see* TZEMOS, N.
LODÉN, M. ANDERSSON, A-C. & LINDBERG, M. Improvement in skin barrier function in patients with atopic dermatitis after treatment with a moisturizing cream (Canoderm®), 264
LÖHRS, U. *see* WOLFF, H.
LONG, J. *see* GUPTA, G.
LONGLEY, J. *see* OLHOFFER, I.H.
LÓPEZ, S. *see* CORNEJO, P.
LOWE, J.G. *see* MUNRO, C.S.
LOYD, D.C.F. *see* RICHARDS, A.M.
LUCKE, T.W. *see* WALKER, S.
LUGER, T. *see* SCHUMANN, H.
LUGER, T.A. *see* MÜLLER, S.
LUZZI, G.A. *see* AZURDIA, R.M.
LYON, C.C., KIRBY, B. & GRIFFITHS, C.E.M. Recalcitrant pyoderma gangrenosum treated with systemic tacrolimus, 563

MAC NEIL, S. *see* RALSTON, D.R.
MACDONALD, D.M. *see* MILLARD, T.P.
MACHINO, H. *see* YASUKAWA, M.
MADSEN, H.O *see* BRANDRUP, F.
MAHLER, V. *see* FIELDLER, E.
MAILLARD, H., LECLECH, C., PERIA, P., AVENEL-AUDRAN, M. & VERRET, J.L. Colchicine for Sweet's syndrome. A study of 20 cases, 565
MAJAMAA, K. *see* KARVONEN, S-L.
MALCOLM, A.J *see* LAWRENCE, C.M.
MALIK, N.M. *see* ROSBOTHAM, J.L.
MALLON, E., NEWTON, J.N., KLASSEN, A., STEWART-BROWN, S.L., RYAN, T.J. & FINLAY, A.Y. The quality of life in acne: a comparison with general medical conditions using generic questionnaires, 672
MARKS, R. *see* MERLIN, K.

MARKS, R., KILKENNY, M., PLUNKETT, A. & MERLIN, K. The prevalence of common skin conditions in Australian school students: 2. Atopic dermatitis, 467
MARREN, P. *see* AZURDIA, R.M.
MARSDEN, R.A. *see* BATAILLE, V.
MARSDEN, R.A. *see* CLIFF, S.
MARTÍ, R. *see* FERRA, C.
MARTIN, S. *see* RICHARD, M.A.
MARUO, K., KAYASHIMA, K-I & ONO, T. Expression of neuronal nitric oxide synthase in dermal infiltrated eosinophils in eosinophilic pustular folliculitis, 417
MARZADURI, S. *see* TOSTI, A.
MASI, M. *see* RICCI, G.
MASSI, D. *see* NARDINI, P
MATSUI, C. *see* TANIUCHI, K.
MATSUKAWA, A. *see* ITO, Y.
MATSUMOTO, Y. *see* TAMADA, Y.
MATSUMURA, T. *see* KOIZUMI, H.
MATSUMURA, T. *see* SATO-MATSUMURA, K.C.
MAURICE, P.D.L., BENNETT, P. & HILL, S. Melanoma excision by general practitioners, 773
MAYAMA, M., HIRAYAMA, K., NAKANO, H., HANADA, K., HASHIMOTO, I., TAMURA, M. & TAMAZAWA, N. Psoriasiform drug eruption induced by fluorescein sodium used for fluorescein angiography, 982
MAZUECOS BLANCA, J. *see* CAMACHO MARTINEZ, F.
MCELWEE, K.J., SPIERS, E.M. & OLIVER, R.F. Partial restoration of hair growth in the DEBR model for alopecia areata after *in vivo* depletion of CD4+ T cells, 432
MCGRATH, J.A. *see* BASARAB, T.
MCGRATH, J.A., HOEGER, P.H., CHRISTIANO, A.M., MCMILLAN, J.R., MELLERIO, J.E., ASHTON, G.H.S., LAKE, B.D., DOPPING-HEPENSTAL, P.J.C., LEIGH, I.M., HARPER, J.I. & EADY, R.A.J. Skin fragility and hypohidrotic ectodermal dysplasia resulting from ablation of plakophilin 1, 297
MCGREGOR, J.M. *see* GRABCZYNSKA, S.A.
MCGREGOR, J.M. *see* SARKANY, R.P.E.
MCGROUTHER, D.A. *see* RICHARDS, A.M.
MCKENNA, D.B. & MURPHY, G.M. Skin cancer chemoprophylaxis in renal transplant recipients: 5 years of experience using low dose acitretin, 656
MCLAREN, K.M. *see* DICKER, T.J.
MCLEAN, W.H.I. *see* BASARAB, T.
MCLEAN, W.H.I. *see* COLEMAN, C.M.
MCLEAN, W.H.I. *see* IRVINE, A.D.
MCLEAN, W.H.I. *see* SMITH, L.T.
MCLOONE, P. *see* MUNRO, C.S.
MCMILLAN, J.R. *see* MCGRATH, J.A.
MECKENSTOCK, G. *see* SCHÖN, M.P.
MEGAHED, M. Polypoid basal cell carcinoma: a new clinicopathological variant, 701
MEGAHED, M. *see* SCHÖN, M.P.
MELLERIO, J.E. *see* MCGRATH, J.A.
MEMİŞOĞLU, H.R. *see* UZUN, S.
MEMPEL, M., ABECK, D., LANGE, I., STROM, K., CALIEBE, A., BEHAM, A., KAUTZA, M., WORRET, W-I., NEUBAUER, B.A., RING, J., SCHRÖDER, H. & FOLSTER-HOLST, R. The wide spectrum of clinical expression in Adams–Oliver syndrome: a report of two cases, 1157
MENNA, L. *see* RICCI, G.
MENNÉ, T. *see* BENFELDT, E.
MERLIN, K. *see* MARKS, R.
MERLIN, K., KILKENNY, M., PLUNKETT, A. & MARKS, R. The prevalence of common skin conditions in Australian school students: 4 tinea pedis, 897
MESSER, G. *see* WOLFF, H.
METZE, D. *see* MÜLLER, S.
METZE, D. *see* RIEGER, E.
METZE, D. *see* SCHUMANN, H.
MEUNIER, L. *see* STOEBNER, P.E.
MEURER, M. *see* WOLFF, H.
MEYER, L.J. *see* EGAN, C.A.
MEYNADIER, J. *see* STOEBNER, P.E.
MEZICK, J.A., GENDIMENICO, G.J., LIEBEL, F.T. & STENN, K.S. Androgen-induced delay of hair growth in the golden Syrian hamster, 1100
MICHEL, C. *see* WETTERWALD, E.
MICHEL, L. *see* RIZOVA, H.
MIHARA, M. *see* MIYAMOTO, T.
MILLARD, T.P., HARRIS, A.J. & MACDONALD, D.M. Calcinosis cutis following intravenous infusion of calcium gluconate, 184
MILLER, J. *see* SHAPIRO, M.
MISERY, L., HERMIER, M., STANIEK, V., KANITAKIS, J., GAUDILLERE, A., LACHAUX, A., SCHMITT, D. & CLAUDY, A. Congenital insensitivity to pain with anhidrosis: absence of substance P receptors in the skin, 190
MITCHELL, D.N. *see* FARRELL, A.M.
MITSUHASHI, Y. *see* IWATSUKI, K.
MITTAG, H. *see* KIRTSCHIG, G
MIYACHI, Y. *see* ISHIKAWA, O.
MIYAMOTO, T., SASOKA, R., HAGARI, Y. & MIHARA, M. Association of cutaneous verrucous carcinoma with human papillomavirus type 16, 168
MIZOGUCHI, M. *see* KASHIMA, M.
MOHAMED, M. *see* GUPTA, G.
MOKHTAR, I *see* JOLY, P.
MOKNI, M. *see* EL-EUCH, D
MÖNIG, H. *see* FÖLSTER-HOLST, R.
MÖNIG, H. *see* HAUSCHILD, A.
MOON, K.C. *see* JANG, K.A.
MOON, K-C. *see* JANG, K.A.
MOON, K-C. *see* JANG, K.A.
MOOSER, G. *see* GRUNDMANN-KOLLMANN, M.
MORAL, L. Post-kala-azar dermal leishmaniasis and *Leishmania infantum*, 760
MORAR, N., RAMDIAL, P.K., NAIDOO, D.K., DLOVA, N.C. & ABOOBAKER, J. Lues maligna, 1175
MORGAN, J.F. & LACEY, J.H. Scratching and fasting: a study of pruritus and anorexia nervosa, 452
MORI, K. *see* KASHIMA, M.
MORI, O. & HASHIMOTO, T. Autologous whole blood intramuscular injection as a cure for chronic urticaria:

report of a patient in whom intradermal injection of autologous serum continued to cause a weal-and-flare response, 1192
MORI, O. *see* YOMODA, M.
MORI, T. *see* TANIUCHI, K.
MORIMOTO, Y. *see* KATO, F.
MORISHIMA, T. *see* OCHIAI, T.
MORIWAKI, S. *see* TSUKAHARA, K.
MOROHASHI, M. *see* SAKITA, S.
MORTIMER, P.S. *see* CLIFF, S.
MOSELEY, H. *see* SARKANY, R.P.E.
MOULIN, G. *see* BARAN, R.
MROWIETZ, U. *see* FÖLSTER-HOLST, R.
MUGGLI, R. *see* HENZ, B.M.
MULDER, P.G.H. *see* VAN DER MEER, J.B.
MÜLLER, S. *see* SCHUMANN, H.
MÜLLER, S., BEISSERT, S., METZE, D., LUGER, T.A. & BONSMANN, G. Lipodystrophia centrifugalis abdominalis infantalis in a 4-year-old caucasian girl: association with partial IgA deficiency and autoantibodies, 1161
MUNDAY, P.E. *see* BATTA, K.
MUNRO, C.S. *see* COLEMAN, C.M.
MUNRO, C.S., LOWE, J.G., MCLOONE, P., WHITE, M.I. & HUNTER, J.A.A. The value of in-patient dermatology: a survey of in-patients in Scotland and northern England, 473
MURDAY, V.A. *see* ROSBOTHAM, J.L.
MURIE, M. *see* PEREZ, C.
MURPHY, G.M. *see* MCKENNA, D.B.
MURPHY, G.M. *see* SARKANY, R.P.E.
MURPHY, G.M. The cutaneous porphyrias: a review, 573
MYERS, B. *see* SPEIGHT, E.L.

N'GUYEN, J.M. *see* JUMBOU, O.
NABESHIMA, M. *see* KOIZUMI, H.
NAGAMATSU, Y. *see* TAJIMA, S.
NAGANO, T., BITO, T., KALLASSY, M., NAKAZAWA, H., ICHIHASHI, M. & UEDA, M. Overexpression of the human homologue of *Drosophila patched* (*PTCH*) in skin tumours: specificity for basal cell carcinoma, 287
NAGASHIMA, K. *see* SATO-MATSUMURA, K.C.
NAGATA, M., TAKENAKA, H., SHIBAGAKI, R. & KISHIMOTO, S. Apoptosis and p53 protein expression increase in the process of burn wound healing in guinea-pig skin, 829
NÄHER, H. *see* JÄCKEL, A.
NÄHER, H. *see* WALDMANN, V.
NAIDOO, D.K. *see* MORAR, N.
NAKABAYASHI, Y. *see* KASHIMA, M.
NAKAMA, T. *see* YOMODA, M.
NAKAMURA, S. *see* TAKAGAWA, S.
NAKANO, H. *see* MAYAMA, M.
NAKAZAWA, H. *see* NAGANO, T.
NARDINI, P. DE GIORGI, V., MASSI, D. & CARLI, P. Eruptive disseminated blue naevi of the scalp, 178
NASSIF, A. *see* HADACEK, B.M.
NAUKKARINEN, A. *see* ACKERMANN, L.
NEELAM, M., CHARLES-HOLMES, R. & POPE, F.M. Venous blebs on the toes in type IV Ehlers–Danlos syndrome, 544
NEILL, S. *see* BASARAB, T.
NENOFF, P., GABAUER, S., WOLF, T. & HAUSTEIN, U-F. *Trichophyton tonsurans* as a cause of onychomycosis, 556
NESTLE, F.O. *see* FRITZ, T.M.
NEUBAUER, B.A. *see* MEMPEL, M.
NEUMANN, C. *see* VENTE, C.
NEUMANN, H.A.M. *see* VAN GEEL, N.A.C.
NEWLANDS, E.S. *see* FARRELL, A.M.
NEWTON, J.N. *see* MALLON, E.
NICKEL, T. *see* SWENSSON, O.
NICLASSE, S. *see* JOLLES, S.
NIIMI, N. *see* O'DONNELL, B.F.
NIKAIDO, O. *see* AHMED, N.U.
NIKKELS, A.F. & PIÉRARD, G.E. Chronic herpes simplex virus type I glossitis in an immunocompromised man, 343
NISHIE, H., IMAYAMA, S. & FURUE, M. Non-typhoid *Salmonella* infection associated with 'rose spots', 558
NISHIJIMA, A. *see* SATO, S.
NISHIKAWA, T. *see* AMAGAI, M.
NISHIKAWA, T. *see* OYAMA, M.
NISHIOKA, K. *see* KATAYAMA, I.
NISHIOKA, K. *see* TAKAGAWA, S.
NISHIOKA, K. *see* YAMAMOTO, T.
NISHIOKA, K., SEGUCHI, T., YAMAMURA, Y., TATSUMURA, M., SOU, H., GONDO, T., HOSHII, Y. & IWATA, T. Infantile myofibromatosis identified by fetal ultrasound, 539
NITSCHE, R. *see* SWENSSON, O.
NITTA, Y. Temporal arteritis with systemic vasculitis, 549
NOLAN, J.J. *see* O'TOOLE, E.A.
NORDIN, P. Curettage–cryosurgery for non-melanoma skin cancer of the external ear: excellent 5-year results, 291
NORRIS, P.G. *see* SARKANY, R.P.E.
NORVAL, M *see* DUTHIE, M.S.

O'DONNELL, B.F., O'NEILL, C.M., FRANCIS, D.M., NIIMI, N., BARR, R.M., BARLOW, R.J., KOBZA BLACK, A., WELSH, K.I. & GREAVES, M.W. Human leucocyte antigen class II associations in chronic idiopathic urticaria, 853
O'NEILL, C.M. *see* O'DONNELL, B.F.
O'TOOLE, E.A., KENNEDY, U., NOLAN, J.J., YOUNG, M.M., ROGERS, S. & BARNES, L. Necrobiosis lipoidica: only a minority of patients has diabetes mellitus, 283
OCHIAI, T., HONDA, A., MORISHIMA, T., SATA, T., SAKAMOTO, H. & SATOH, K. Human papillomavirus types 16 and 39 in a vulval carcinoma occurring in a woman with Hailey–Hailey disease, 508
OGAWA, H. *see* IWAHARA, K.
OH, C.H. *see* SON, S.W.
OHARA, K. *see* ONISHI, Y.
OHATA, Y. *see* OYAMA, M.
OHKAWARA, A. *see* KOIZUMI, H.
OHKAWARA, A. *see* SATO-MATSUMURA, K.C.
OHNISHI, T. *see* OKADA, H.
OHNISHI, Y. *see* AKAGI, A.
OHTSUKA, M. *see* IWATSUKI, K.

OHTSUKA, M. *see* IWATSUKI, K.
OHTSUKA, M., IWATSUKI, K., KANEKO, R., AKIBA, H., KIKUCHI, S., HARADA, H. & KANEKO, F. Epstein–Barr virus-associated lymphoid hyperplasia of the eyelid characterized by intramuscular infiltration, 358
OHYA, K. *see* AMAGAI, M.
OIKARINEN, A. *see* KARVONEN, S-L.
OKADA, H., QING, J., OHNISHI, T. & WATANABE, S. Metastasis of gastric carcinoma to a finger, 776
OKÇU, M. *see* ÖZKAYA-BAYAZIT, E.
OKSMAN, R. *see* HAVU, V.
OLHOFFER, I.H., DAVIDSON, D., LONGLEY, J., GLUSAC, E.J. & LEFFELL, D. Facial bowenoid papulosis secondary to human papillomavirus type 16, 761
ØLHOLM LARSEN, P. *see* VEIEN, N.K.
OLIVER, R.F. *see* MCELWEE, K.J.
OLLIVAUD, L. *see* SENET, P.
OLSEN, J.H. *see* FRENTZ, G.
ONG, C-N. *see* KOH, D.
ONISHI, Y. & OHARA, K. Angiolymphoid hyperplasia with eosinophilia associated with arteriovenous malformation: a clinicopathological correlation with angiography and serial estimation of serum level of renin, eosinophil cationic protein and interleukin-5, 1153
ONO, T. *see* MARUO, K.
ORCHARD, G. *see* RATNAVEL, R.C.
ÖREM, A. *see* ÇIMSIT, G.
ÖREM, C. *see* ÇIMSIT, G.
ORFANOS, C.E. *see* TREUDLER, R.
ORMEROD, A.D. *see* SHAH, S.A.A.
ORTONNE, J-P. *see* PASSERON, T.
OSAKABE, T. *see* TAJIMA, S.
OSAWA, T. *see* AHMED, N.U.
OSBORNE, J.E., BOURKE, J.F., GRAHAM-BROWN, R.A.C. & HUTCHINSON, P.E. False negative clinical diagnoses of malignant melanoma, 902
OSLIZLOK, P. *see* GOGGIN, N.
OYAMA, M., SHIMIZU, H., OHATA, Y., TAJIMA, S. & NISHIKAWA, T. Dyschromatosis symmetrica hereditaria (reticulate acropigemntation of Dohi): report of a Japanese family with the condition and a literature review of 185 cases, 490
ÖZKAYA-BAYAZIT, E., BÜYÜKBABANİ, N., BAYKAL, C., ÖZTÜRK, A., OKÇU, M. & SOYER, H.P. Annular elastolytic giant cell granuloma: sparing of a burn scar and successful treatment with chloroquine, 525
ÖZPOYRAZ, M. *see* UZUN, S.
ÖZTÜRK, A. *see* ÖZKAYA-BAYAZIT, E.

PAGLIARO, J.A. & JONES, S.K. Recurrent erythrodermic psoriasis in a thiuram-allergic patient due to contact with nurses' rubber gloves, 568
PAGLIARO, J.A. *see* AZURDIA, R.M.
PALACIOS, I., UMBERT, I. & CELADA, A. Absence of human herpesvirus-8 DNA in angiosarcoma, 170
PALS, S.T. *see* DINGEMANS, K.P.
PARSLEW, R., JONES, K.T., RHODES, J.M. & SHARPE, G.R. The antiproliferative effect of lectin from the edible mushroom (*Agaricus bisporus* on human keratinocytes: preliminary studies on its use in psoriasis, 56
PASSERON, A. *see* BLANCHE, P.
PASSERON, T., BAHADORAN, P., LACOUR, J-P., PERRIN, C., GILBERT, D., BENZAKEN, S., FUZIBET, J-G. & ORTONNE, J-P. Paraneoplastic pemphigus presenting as erosive lichen planus, 552
PATRIZI, A. *see* RICCI, G.
PAULY, G. *see* CONTET-AUDONNEAU, J.L.
PELKONEN, J. *see* ACKERMANN, L.
PENARIER, G. *see* STOEBNER, P.E.
PENNO, N.M. *see* BATES, E.J.
PEREZ, C., HERNANDEZ, R., MURIE, M., VIVES, R. & GUARCH, R. Relapsing leucocytoclastic vasculitis as the initial manifestation of acute bruellosis, 1177
PERIA, P. *see* MAILLARD, H.
PERRIN, C. *see* BARAN, R.
PERRIN, C. *see* PASSERON, T.
PESSIS, E. *see* DUPIN, N.
PETER, R.U. *see* KASKEL, P.
PETERSEN, M.J. *see* EGAN, C.A.
PETIOT-ROLAND, A. *see* KANITAKIS, J.
PETIT-FRÈRE, C. *see* WOOLLONS, A.
PÉTRIZ, L. *see* FERRA, C.
PETTENGELL, R. *see* CLIFF, S.
PEYRÍ, J. *see* FERRA, C.
PICARDO, M *see* CAMERA, E.
PICKARD, J.K. *see* BASARAB, T.
PIECK, C. *see* VON KOBYLETZKI, G.
PIEPPONEN, T. *see* HAVU, V.
PIÉRARD, G.E. *see* NIKKELS, A.F.
PILLEKAMP, H. *see* KASKEL, P.
PIRACCINI, B.M. *see* TOSTI, A.
PLEWIG, G. *see* WOLFF, H.
PLUNKETT, A. *see* MARKS, R.
PLUNKETT, A. *see* MERLIN, K.
PONCIN, M. *see* LATEUR, N.
PONT, V. *see* GRAU SALVAT, C.
POON, E. *see* ALVES, G.F.
POON, E., SEED, P.T., GREAVES, M.W. & KOBZA-BLACK, A. The extent and nature of disability in different urticarial conditions, 667
POPE, F.M. *see* NEELAM, M.
POPESCU, C.M. *see* POPESCU, R.
POPESCU, R., POPESCU, C.M., WILLIAMS, H.C. & FORSEA, D. The prevalence of skin conditions in Romanian school children, 891
PORTER, S.R. *see* SCULLY, C.
POWELL, J.J., DAWBER, R.P.R. & GATTER, K. Folliculitis decalvans icluding tufted folliculitis: clinical, histiological and therapeutic findings, 328
POZO, T. *see* GONZÁLEZ-LÓPEZ, A.
PRAIS, L. *see* BOURKE, J.F.
PREESMAN, A.H. *see* VAN HASELEN, C.W.

PRIOR, C. *see* SCHMUTH, M.
PUNNONEN, K. *see* ISOHERRANEN, K.

QING, J. *see* OKADA, H.

RABIAN, C. *see* DUPIN, N.
RADDADI, A.A. & BAKER DAMANHOURY, Z.B. Cyclosporin and pregnancy, 1197
RAEDERSTORFF, D. *see* HENZ, B.M.
RAGUIN, G. *see* HADACEK, B.M.
RALSTON, D.R., LAYTON, C., DALLEY, A.J., BOYCE, S.G., FREEDLANDER, E. & MAC NEIL, S. The requirement for basement membrane antigens in the production of human epidermal/dermal composites *in vitro*, 605
RAMDIAL, P.K. *see* MORAR, N.
RAMKEMA, M.D. *see* DINGEMANS, K.P.
RANTANEN, T. *see* HAVU, V.
RAPPERSBERGER, K. *see* WOLFF, H.
RASMUSSEN, H.B. *see* JENSEN, C.H.
RATNAVEL, R. *see* STONE, N.
RATNAVEL, R.C., DUNN-WALTERS, D.K., BOURSIER, L., FRAZER-ANDREWS, E., ORCHARD, G., RUSSELL-JONES, R. & CALONJE, E. B-cell lymphoma associated with chronic lyphatic leukaemia: two cases with contrasting aggressive and indolent behaviour, 708
REBORA, A. *see* RONGIOLETTI, F.
REGNIER, C. *see* CRIBIER, B.
REICH, K. *see* VENTE, C.
REIFENBERGER, J. *see* SCHÖN, M.P.
REINHOLD, U *see* SEITER, S.
REVUZ, J. *see* DUMAS, V.
REVUZ, J. *see* WETTERWALD, E.
RHODES, J.M. *see* PARSLEW, R.
RHODES, L.E. *see* AZURDIA, R.M.
RHODES, L.E. *see* SARKANY, R.P.E.
RICCI, G., PATRIZI, A., SPECCHIA, F., MENNA, L., BOTTAU, P., D'ANGELO, V. & MASI, M. Mite allergen (Der p 1) levels in houses of children with atopic dermatitis: the relationship with allergometric tests, 651
RICH, A. *see* WILLIAMS, H.C.
RICHARD, M.A., MARTIN, S., GOUVERNET, J., FOLCHETTI, G., BONERANDI, J.J. & GROB, J.J. Humour and alarmism in melanoma prevention: a randomized controlled study of three types of information leaflet, 909
RICHARDS, A.M., LOYD, D.C.F., TERENGHI, G. & MCGROUTHER, D.A. Cellular changes in denervated tissue during wound healing in a rat model, 1093
RICO, M.J., BENNING, C., WEINGART, E.S., STREILEIN, R.D., HALL, R.P. & III, R.P. Characterization of skin cytokines in bullous pemphigoid and pemphigus vulgaris, 1079
RIEGER, E., SOYER, H.P., LEBOIT, P.E., METZE, D., SLOVAK, R. & KERL, H. Reactive angioendotheliomatosis or intravascular histiocytosis? An immunohistochemical and ultrastructural study in two cases of intravascular histiocytic cell proliferation, 496
RINALDI, S. *see* RONGIOLETTI, F.
RING, J. *see* EBERLEIN-KÖNIG, B.
RING, J. *see* MEMPEL, M.
RIO, M-C. *see* CRIBIER, B.
RITAMÄKI-SALO, V. *see* ACKERMANN, L.
RIZOVA, H., CARAYON, P., BARBIER, A., LACHERETZ, F., DUBERTRET, L. & MICHEL, L. Contact allergens, but not irritants, alter receptor-mediated endocytosis by human epidermal Langerhans cells, 200
RIZZONI, G. *see* RONGIOLETTI, F.
ROBAYNA, G. *see* RUBIO, F.A.
ROBERTS, D.T. *see* GUPTA, G.
ROBINSON, D.J. *see* STABLES, G.I.
RÓDENAS, J.M. *see* FARIÑAS-ÁLVAREZ, C.
ROGERS, S. *see* CAIRD, A.
ROGERS, S. *see* KIRBY, B.
ROGERS, S. *see* O'TOOLE, E.A.
ROH, K-Y. *see* LEE, H-J.
ROLFO, S. *see* CAPRONI, M.
ROMERO, A. *see* CORNEJO, P.
RONGIOLETTI, F., GHIO, L., GINEVRI, F., BLEIDL, D., RINALDI, S., EDEFONTI, A., GAMBINI, C., RIZZONI, G. & REBORA, A. Purpura of the ears: a distinctive vasculopathy with circulating autoantibodies complicating long term treatment with levamisole in children, 948
ROSBOTHAM, J.L., MALIK, N.M., SYRRIS, P., JEFFERY, S., BEDLOW, A., GHARRAIE, S., MURDAY, V.A., HOLDEN, C.A. & CARTER, N.D. Lack of c-kit mutation in familial urticaria pigmentosa, 849
ROSINA, P. *see* BARBA, A.
ROSS, J.S. *see* FARRELL, A.M.
ROUJEAU, J.C. *see* DUMAS, V.
ROUX, A. *see* HADACEK, B.M.
RUBEGNI, P. *see* FIMIANI, M.
RUBIN DE CERVENS, V. *see* DUPIN, N.
RUBIO, F.A., ROBAYNA, G., HERRANZ, P., DE LUCAS, R., GARCIA-JIMENEZ, J.A. & CASADO, M. Necrotizing vasculitis of the glans penis, 756
RUDMAN, S. *see* FILSELL, W.
RÜNGER, T.M. *see* JUNGHANS, V
RUPPRECHT, R. *see* VENTE, C.
RUPRECHT, K.W. *see* SEITER, S.
RUSSELL-JONES, R. *see* ACLAND, K.M.
RUSSELL-JONES, R. *see* BASARAB, T.
RUSSELL-JONES, R. *see* FRASER-ANDREWS, E.
RUSSELL-JONES, R. *see* RATNAVEL, R.C.
RUSSELL-JONES, R. *see* WHITTAKER, S.
RUSTIN, M.H.A. *see* BASARAB, T.
RUZICKA, T. *see* SCHÖN, M.P.
RYAN, T.J. *see* MALLON, E.

SAARI, S. *see* HAVU, V.
SABROE, R.A., GRATTAN, C.E.H., FRANCIS, D.M., BARR, R.M., KOBZA BLACK, A. & GREAVES, M.W. The autologous serum skin test: a screening test for autoantibodies in chronic idiopathic urticaria, 445
SADA, E. *see* YASUKAWA, M.
SADIGURSKY, M. *see* DE ALMEIDA BARBOSA JR, A.

SAGA, K. *see* KATO, F.
SAHARA, R. *see* ITO, Y.
SAINTE-MARIE, I. *see* TENAUD, I.
SAITO, R. *see* KAWAKAMI, T.
SAITO, R. *see* KAWAKAMI, T.
SAKAMOTO, H. *see* OCHIAI, T.
SAKAMOTO, H. *see* TAJIMA, S.
SAKITA, S., KAGOURA, M., TOYODA, M. & MOROHASHI, M. The induction by topical minoxidil of increased fenestration in the perifollicular capillary wall, 294
SALES GUIMARÃES, N. *see* DE ALMEIDA BARBOSA JR, A.
SALMON, D. *see* BLANCHE, P.
SALOMAO, P.R. *see* ALVES, G.F.
SALOMON, D. *see* SKARIA, A.M.
SANDERS, R. *see* LIEW, S.H.
SANZ, M.L. *see* ESPAÑA, A.
SARKANY, R.P.E., ANSTEY, A., DIFFEY, B.L., JOBLING, R., LANGMACK, K., MCGREGOR, J.M., MOSELEY, H., MURPHY, G.M., RHODES, L.E. & NORRIS, P.G. Home phototherapy: report on a workshop of the British Photodermatology Group, December 1996, 195
SASAKI, T., KANBARA, T. & INAYAMA, Y. Do mucin-phagocytosing histiocytes in localized lipoatrophy have any primary pathogenetic importance?, 976
SASAKI, Y. *see* SUZUKI, Y.
SASIENI, P. *see* BATAILLE, V.
SASOKA, R. *see* MIYAMOTO, T.
SATA, T. *see* OCHIAI, T.
SATO, H. *see* SATO-MATSUMURA, K.C.
SATO, S., SUEKI, H. & NISHIJIMA, A. Two unusual cases of argyria: the application of an improved tissue processing method for X-ray microanalysis of selenium and sulphur in silver-laden granules, 158
SATOH, K. *see* OCHIAI, T.
SATOH, S., SEISHIMA, M., SAWADA, Y., IZUMI, T., YONEDA, K. & KITAJIMA, Y. The time course of the change in antibody titres in herpes gestationis, 119
SATO-MATSUMURA, K.C., MATSUMURA, T., KOIZUMI, H., SATO, H., NAGASHIMA, K. & OHKAWARA, A. Analysis of *c-kit* exon 11 and exon 17 of urticaria pigmentosa that occurred in monozygotic twin sisters, 1130
SAURAT, J.H. *see* ARECHALDE, A.
SAWADA, Y. *see* KATAYAMA, I
SAWADA, Y. *see* SATOH, S.
SCHALLREUTER, K.U. Pseudocatalase treatment in xeroderma pigmentosum: a case report, 1190
SCHARFFETTER-KOCHANEK, K. *see* CASPER, C.
SCHEPIS, C. *see* SIRAGUSA, M
SCHILLER, P.I. *see* KASKEL, P.
SCHLICK, A. *see* BREIER, F.H.
SCHMID, P. ITIN, P & COX, D. Proteolytic inctivation of transforming growth factor β3 by elastase in venous leg ulcers: implications for clinical trials using topically-applied peptide growth factors, 1170
SCHMIDT, E., HERZELE, K., SCHUMANN, H., WESSELMANN, U., CHIMANOVITCH, I., BRUCKNER-TUDERMAN, L., BRÖCKER, E-B., GIUDICE, G.J. & ZILLIKENS, D. Linear IgA disease with circulating IgA antibodies against the NC16A domain of BP180, 964
SCHMITT, D. *see* MISERY, L.
SCHMUTH, M., PRIOR, C., ILLERSPERGER, B., TOPAR, G., FRITSCH, P. & SEPP, N. Systemic sarcoidosis and cutaneous lymphoma: is the association fortuitous?, 952
SCHNIDER, P., BINDER, M., KITTLER, H., BIRNER, P., STARKEL, D., WOLFF, K. & AUFF, E. A randomized, double-blind, placebo-controlled trial of botulinum A toxin for severe axillary hyperhidrosis, 677
SCHÖN, M.P., REIFENBERGER, J., VON SCHMIEDEBERG, S., MEGAHED, M., LANG, K., GATTERMAN, N., MECKENSTOCK, G., GOERZ, G. & RUZICKA, T. Multiple basal cell carcinomas associated with hairy cell leukaemia, 150
SCHOU, G. *see* VEIEN, N.K.
SCHRÖDER, H. *see* MEMPEL, M.
SCHRØDER, H.D. *see* JENSEN, C.H.
SCHUMANN, H. *see* SCHMIDT, E.
SCHUMANN, H., AMMAN, U., TASANEN, K., MÜLLER, S., ZILLIKENS, D., METZE, D., LUGER, T., BRUCKNER-TUDERMAN, L. & BONSMANN, G. A child with localized vulval pemphigoid and IgC autoantibodies targeting the C-terminus of collagen XVII/BP180, 1133
SCHWINN, A. *see* HAMM, H.
SCULLY, C., DE ALMEIDA, O.PAES, PORTER, S.R. & GILKES, J.J.H. Pemphigus vulgaris: the manifestations and long-term management of 55 patients with oral lesions, 84
SEED, P.T. *see* POON, E.
SEGUCHI, T. *see* NISHIOKA, K.
SEISHIMA, M. *see* SATOH, S.
SEITER, S., GANTENBEIN, C., UGUREL, S., RUPRECHT, K.W., TILGEN, W. & REINHOLD, U. An occulocutaneous presentation of essential progressive telangiectasia, 969
SENE, S. *see* KAC, G.
SENET, P., BACHELEZ, H., OLLIVAUD, L., VIGNON-PENNAMEN, D. & DUBERTRET, L. Minocycline for the treatment of cutaneous silicone granulomas, 985
SEPP, N. *see* SCHMUTH, M.
SERUP, J. *see* BENFELDT, E.
SERVITJE, O. *see* FERRA, C.
SETTERFIELD, J., SHIRLAW, P.J., BHOGAL, B.S., TILLING, K., CHALLACOMBE, S.J. & BLACK, M.M. Cicatricial pemphigoid: serial titres of circulating IgG and IgA antibasement membrane antibodies correlate with disease activity, 645
SEYAMA, Y. *see* TAJIMA, S.
SHAH, S.A.A., ORMEROD, A.D., HUSAIN, A., KOHLE, P. & CULLIGAN, D. Primary cutaneous CD30 (Ki-1)-positive anaplastic large cell lymphoma associated with renal cell carcinoma, 971
SHAPIRO, M., LI, L-J. & MILLER, J. Terbinafine-induced neutropenia, 1196
SHARPE, G.R. *see* PARSLEW, R.
SHEU, H-M. *see* WONG, T-W.
SHEU, H-M., CHAO, S-C., WONG, T-W., LEE, J.Y-Y. & TSAI, J-C. Human skin surface lipid film: an ultrastructural study and

interaction with corneocytes and intercellular lipid lamellae of the stratum corneum. 385
SHIBAGAKI, R. *see* NAGATA, M.
SHIBAYAMA, E. *see* KASHIMA, M.
SHIMADA, H. *see* KAWABATA, H.
SHIMIZU, H. *see* OYAMA, M.
SHIMIZU, H. *see* SUZUKI, Y.
SHIOHARA, T. *see* HAYAKAWA, K.
SHIRAKATA, Y. *see* AMAGAI, M.
SHIRLAW, P.J. *see* SETTERFIELD, J.
SICARD, D. *see* BLANCHE, P.
SIDOROFF, A. *see* HÖGLER, W.
SIMPSON, E. *see* BASARAB, T.
SINHA, A. & HARRISON, P.V. The prevalence of latex allergy among hospital employees in north-west England. 567
SIRAGUSA, M. ALBERTI, A. & SCHEPIS, C. Mees' lines due to cyclosporin. 1198
SKARIA, A.M. & SALOMON, D. Mohs' surgery of periocular basal cell carcinoma using formalin-fixed sections and delayed closure. 775
SLOVAK, R. *see* RIEGER, E.
SMITH, F.J.D. *see* BASARAB, T.
SMITH, F.J.D. *see* COLEMAN, C.M.
SMITH, H.R. & BLACK, M.M. Basal cell carcinoma of the penis. 361
SMITH, L.T., UNDERWOOD, R.A. & MCLEAN, W.H.I. Ontogeny and regional variability of keratin 2e (K2e) in developing human fetal skin: a unique spatial and temporal pattern of keratin expression in development. 582
SOLA, J. *see* ESPAÑA, A.
SOLÉ, M. *see* GALLARDO, F.
SON, S.W., KIM, I.H., OH, C.H. & KIM, J.G. The response of rosacea to eradication of *Helicobacter pylori*. 984
SONG, M. *see* LATEUR, N.
SOU, H. *see* NISHIOKA, K.
SOUILLET, A-L. *see* KANITAKIS, J
SOUTEYRAND, P. *see* COURVILLE, P.
SOYER, H.P. *see* ÖZKAYA-BAYAZIT, E.
SOYER, H.P. *see* RIEGER, E.
SPECCHIA, F. *see* RICCI, G.
SPEIGHT, E.L., MYERS, B. & DAVIES, J.M. Strongyloidiasis, angio-oedema and natural killer cell lymphocytosis. 1178
SPIERS, E.M. *see* MCELWEE, K.J.
STABLES, G.I., STRINGER, M.R., ROBINSON, D.J. & ASH, D.V. Erythroplasia of Queyrat treated by topical aminolaevulinic acid photodynamic therapy. 514
STANEK, G. *see* BREIER, F.H.
STANIEK, V. *see* MISERY, L.
STANTON, A.W.B. *see* CLIFF, S.
STARKEL, D. *see* SCHNIDER, P.
STENN, K.S. *see* MEZICK, J.A.
STEVENS, H.P., CHOONS, S.E., HENNIES, H.C. & KELSELL, D.P. Evidence for a single genetic locus in Clouston's hidrotic ectodermal dysplasia. 963
STEWART-BROWN, S.L. *see* MALLON, E.
STICHERLING, M. *see* SWENSSON, O.
STINGL, G. *see* HENZ, B.M.
STOCKFLETH, E. *see* FÖLSTER-HOLST, R.
STOEBNER, P.E., CARAYON, P., PENARIER, G., FRÉCHIN, N., BARNÉON, G., CASELLAS, P., CANO, J.P., MEYNADIER, J. & MEUNIER, L. The expression of peripheral benzodiazepine receptors in human skin: the relationship with epidermal cell differentiation. 1010
STOKES, R.P. & DIFFEY, B.L. The water resistance of sunscreen and day-care products. 259
STOLZ, W. *see* KARRER, S.
STONE, N. & BURGE, S. Bowen's disease of the leg treated with weekly pulses of 5% fluorouracil cream. 987
STONE, N., RATNAVEL, R. & WILKINSON, J.D. Bilateral perianal inflammatory verrucous porokeratosis (porokeratosis ptychotropica). 554
STREILEIN, R.D. *see* RICO, M.J.
STRINGER, M.R. *see* STABLES, G.I.
STROM, K. *see* MEMPEL, M.
STUBB, S. *see* HAVU, V.
STÜBER, E. *see* SWENSSON, O.
SUEKI, H. *see* SATO, S.
SUGIUCHI, R. *see* IWATSUKI, K.
SUNDLER, F. *see* WALLENGREN, J.
SUNG, K-J. *see* JANG, K.A.
SUZUKI, Y., SASAKI, Y. & SHIMIZU, H. Non-pulsatile aneurysm of the superficial temporal artery. 781
SWENSSON, O. *see* FÖLSTER-HOLST, R.
SWENSSON, O. *see* HAUSCHILD, A.
SWENSSON, O., STÜBER, E., NICKEL, T., STICHERLING, M., GHOHESTANI, R.F., NITSCHE, R. & CHRISTOPHERS, E. Linear IgA disease associated with lymphocytic colitis. 317
SYRRIS, P. *see* ROSBOTHAM, J.L.
SZEIMIES, H.R-M. *see* KARRER, S.

TAGAMI, H. *see* IWATSUKI, K.
TAJIMA, S. *see* AKAGI, A.
TAJIMA, S. *see* CHISIKI, M.
TAJIMA, S. *see* OYAMA, M.
TAJIMA, S., INAZUMI, T., KAJIYA, H., OSAKABE, T., SEYAMA, Y., SAKAMOTO, H., NAGAMATSU, Y. & IZAKI, S. Elastin metabolism in skin fibroblasts explanted from a patient with mid-dermal elastolysis. 752
TAKAGAWA, S., NAKAMURA, S., YOKOZEKI, H. & NISHIOKA, K. Radiation-induced erythema nodosum. 372
TAKAHASHI, A. *see* ISHIKAWA, O.
TAKATA, M. *see* IWATSUKI, K.
TAKATA, M. *see* TANIUCHI, K.
TAKEHARA, K. *see* TANIUCHI, K.
TAKEMA, Y. *see* TSUKAHARA, K.
TAKENAKA, H. *see* NAGATA, M.
TAKENOSHITA, H. *see* IWATSUKI, K.
TAMADA, Y., ARISAWA, S., IKEYA, T., YOKOI, T., HARA, K. & MATSUMOTO, Y. Linear lupus erythematosus profundus in a young man. 177
TAMAZAWA, N. *see* MAYAMA, M.
TAMURA, A. *see* ISHIKAWA, O.
TAMURA, M. *see* MAYAMA, M.
TAN, C.Y. *see* BATTA, K.

TANAKA, N. *see* AKAGI, A.
TANIUCHI, K., TAKATA, M., MATSUI, C., FUSHIDA, Y., UCHIYAMA, K., MORI, T., KAWARA, S., YANCEY, K.B. & TAKEHARA, K. Antiepiligrin (laminin 5) cicatricial pemphigoid associated with an underlying gastric carcinoma producing laminin 5, 696
TAPPEINER, G. *see* BREIER, F.H.
TASANEN, K. *see* SCHUMANN, H.
TATNALL, F.M. *see* BATTA, K.
TATSUMURA, M. *see* NISHIOKA, K.
TAY, Y.K. *see* ANG, P.
TAYLOR, T.B. *see* EGAN, C.A.
TEBBE, B. *see* TREUDLER, R.
TEISNER, B. *see* JENSEN, C.H.
TEIXEIRA, F. *see* DOMINGUEZ-CHERIT, J.
TELFER, N.R. *see* BHUSHAN, M.
TENAUD, I., SAINTE-MARIE, I., JUMBOU, O., LITOUX, P. & DRÉNO, B. *In vitro* modulation of keratinocyte wound healing integrins by zinc, copper and manganese, 26
TERAMAE, H. *see* TSURUTA, D.
TERENGHI, G. *see* RICHARDS, A.M.
TESSIER, M.H. *see* JUMBOU, O.
THESTRUP-PEDERSEN, K. *see* VEIEN, N.K.
THOMINE, E *see* JOLY, P.
THOMINE, E. *see* COURVILLE, P.
THOMPSON, J.R. *see* HUTCHINSON, P.E.
THOMSON, J. *see* WALKER, S.
TILGEN, W. *see* SEITER, S.
TILLES, G. & WALLACH, D. Robert Willan and the French Willanists, 1122
TILLING, K. *see* SETTERFIELD, J.
TILLMAN, D.M. *see* GUPTA, G.
TOONSTRA, J. *see* VAN HASELEN, C.W.
TOPAR, G. *see* SCHMUTH, M.
TOSTI, A., PIRACCINI, B.M., D'ANTUONO, A., MARZADURI, S. & BETTOLI, V. Paronychia associated with antiretroviral therapy, 1165
TOYODA, M. *see* SAKITA, S.
TREUDLER, R., TEBBE, B., BLUME-PEYTAVI, U., KRASAGAKIS, K. & ORFANOS, C.E. Occupational contact dermatitis due to 2-chloracetophenone tear gas, 531
TROJJET, S. *see* EL-EUCH, D
TRON, F *see* JOLY, P.
TSAI, C.H. *see* CHANG, Y.T.
TSAI, J-C. *see* SHEU, H-M.
TSUJI, Y. *see* KOIZUMI, H.
TSUKAHARA, K., TAKEMA, Y., FUJIMURA, T., MORIWAKI, S., KITAHARA, T., IMAYAMA, S. & IMOKAWA, G. *All-trans* retinoic acid promotes the repair of tortuosity of elastic fibres in rat skin, 1048
TSURUTA, D., KANEDA, K., TERAMAE, H. & ISHII, M. *In vivo* activation of Langerhans cells and dendritic epidermal T cells in the elicitation phase of murine contact hypersensitivity, 392
TSUTSUI, K., ASAI, Y. & KAWASHIMA, Y. Urticaria pigmentosa occurring with juvenile xanthogranuloma, 990
TUCKER, S.C. & YELL, J.A. Dramatic postcoital vulval laceration and bruising in Ehlers–Danlos syndrome, 974
TURJANMAA, K. *see* HAVU, V.
TZEMOS, N., ARAVINDAN, P., CHITONI, M., LITTLEWOOD, S.M. & VASSALLO, M. Cholangiocarcinoma associated wit bullous pemphigoid, 1180

UCHIYAMA, K. *see* TANIUCHI, K.
UEDA, M. *see* AHMED, N.U.
UEDA, M. *see* NAGANO, T.
UEDA, M. *see* WASHIO, E
UGUREL, S. *see* SEITER, S.
UITTO, J. *see* COLEMAN, C.M.
UMBERT, I. *see* PALACIOS, I.
UMEZU, H. *see* IMAI, S.
UNDERWOOD, R.A. *see* SMITH, L.T.
UOTILA, P. *see* ISOHERRANEN, K.
USLULAR, C. *see* UZUN, S.
USUI, Y. *see* ITO, Y.
USUKI, K. *see* KAWABATA, H.
UZUN, S., USLULAR, C., YÜCEL, A., ACAR, M.A., ÖZPOYRAZ, M. & MEMİŞOĞLU, H.R. Cutaneous leishmaniasis: evaluation of 3074 cases in the Çukurova region of Turkey, 347

VAN DE KERKHOF, P.C.M. *see* HENZ, B.M.
VAN DER MEER, J.B., GLAZENBURG, E.J., MULDER, P.G.H., EGGNIK, H.F. & COENRAADS, P.J. The management of moderate to severe atopic dermatitis in adults with topical fluticasone propionate, 1114
VAN DER PUTTE, S.C.J. *see* VAN HASELEN, C.W.
VAN DER RHEE, H.J., VAN DER SPEK-KEIJSER, L.M.T., WESTERING, R.VAN & COEBERGH, J.W.W. Increase in and stabilization of incidence and mortality of primary cutaneous malignant melanoma in western Netherlands, 1980–95, 462
VAN DER SPEK-KEIJSER, L.M.T. *see* VAN DER RHEE, H.J.
VAN DER WAL, A.C. *see* DINGEMANS, K.P.
VAN GEEL, N.A.C., KOCKAERT, M. & NEUMANN, H.A.M. Familial dyskeratotic comedones, 956
VAN HASELEN, C.W., TOONSTRA, J., PREESMAN, A.H., VAN DER PUTTE, S.C.J., BRUIJNZEEL-KOOMEN, C.A.F.M. & VAN VLOTEN, W.A. Sézary syndrome in a young man with severe atopic dermatitis, 704
VAN VLOTEN, W.A. *see* VAN HASELEN, C.W.
VANDERVALK, P.G.M. *see* HENZ, B.M.
VANHOOTEGHEM, O., LATEUR, N., HAUTECOEUR, P. & WIART, T. Acropathia ulcero-mutilans acquisita of the upper limbs, 334
VARMA, S. & LANIGAN, S.W. Leg ulceration with associated thrmbocytosis: healing of ulceration associated with treatment of the raised platelet count, 188
VARMA, S. & LANIGAN, S.W. Reasons for requesting laser removal of unwanted tattoos, 482
VASSALLO, M. *see* TZEMOS, N.
VAUGHAN, R. *see* DAVISON, S.
VAUGHAN, R.W. *see* GRABCZYNSKA, S.A.

VEENHUIZEN, R. *see* HENZ, B.M.
VEIEN, N.K., ØLHOLM LARSEN, P., THESTRUP-PEDERSEN, K. & SCHOU, G. Long-term, intermittent treatment of chronic hand eczema with mometasone furoate, 882
VELASCO, E. *see* GONZÁLEZ-LÓPEZ, A.
VENN, A.J. *see* CHARMAN, C.R.
VENTE, C., REICH, K., RUPPRECHT, R. & NEUMANN, C. Erosive mucosal lichen planus: response to topical treatment with tacrolimus, 338
VERGIER, B. *see* COURVILLE, P.
VERRET, J.L. *see* MAILLARD, H.
VIARD, J-P. *see* DUPIN, N.
VIDALLER, A. *see* GALLARDO, F.
VIGNON-PENNAMEN, D. *see* SENET, P.
VIVES, R. *see* PEREZ, C.
VON KOBYLETZKI, G., DIRSCHKA, T., FREITAG, M., HOFFMANN, K. & ALTMEYER, P. Ultraviolet-A1 phototherapy improves the status of the skin in cutaneous T-cell lymphoma, 768
VON KOBYLETZKI, G., PIECK, C., HÖXTERMANN, S., FREITAG, M. & ALTMEYER, P. Circulating activation markers of severe atopic dermatitis following ultraviolet A1 cold light phototherapy: eosinophil cationic protein, soluble interleukin-2 receptor and soluble interleukin-4 receptor, 966
VON SCHMIEDEBERG, S. *see* SCHÖN, M.P.

WAKELIN, S.H. *see* ACLAND, K.M.
WALDMANN, V. *see* JÄCKEL, A.
WALDMANN, V., DEICHMANN, M., BOCK, M., JÄCKEL, A. & NÄHER, H. The detection of tyrosinae-specific mRNA in bone marrow is not more sensitive than in blood for the detection of micrometastatic melanoma, 1060
WALKER, S., LUCKE, T.W., BURDEN, A.D. & THOMSON, J. Poliosis circumscripta associated with scalp naevi: a report of four cases, 1182
WALLACH, D. *see* TILLES, G.
WALLENGREN, J., CHEN, D. & SUNDLER, F. Neuropeptide-containing C-fibres and wound healing in rat skin. Neither capsaicin nor peripheral neurotomy affect the rate of healing, 400
WANG, P. *see* BRANDRUP, F.
WANG, S-S. *see* LIAO, Y-H.
WASHIO, F., UEDA, M., ITO, A. & ICHIHASHI, M. Higher susceptibility to apoptosis following ultraviolet B irradiation of xeroderma pigmentosum fibroblasts is accompanied by upregulation of p53 and downregulation of Bcl-2, 1031
WATANABE, S. *see* ITO, Y.
WATANABE, S. *see* OKADA, H.
WATERMAN, E.A. *see* KEMP, E.H.
WATSON, P.F. *see* KEMP, E.H.
WATSON, R. *see* GOGGIN, N.
WEBER, F. *see* HÖGLER, W.
WECHSLER, J. *see* COURVILLE, P.
WEETMAN, A.P. *see* KEMP, E.H.
WEIDINGER, G. *see* HAMM, H.
WEINGART, E.S. *see* RICO, M.J.
WELSH, K. *see* AZURDIA, R.M.
WELSH, K.I. *see* O'DONNELL, B.F.
WESSELMANN, U. *see* SCHMIDT, E.
WESTERING, R.VAN *see* VAN DER RHEE, H.J.
WETTERWALD, E., LE CLEACH, L., MICHEL, C., DAVID, F. & REVUZ, J. Nevirapine-induced overlap Stevens–Johnson syndrome/toxic epidermal necrolysis, 981
WHITE, M.I. *see* MUNRO, C.S.
WHITTAKER, S., WOOLFORD, A., RUSSELL-JONES, R. & FRASER-ANDREWS, E. Analysis of γ T-cell receptor genes in cutaneous T-cell lymphoma, 766
WIART, T. *see* VANHOOTEGHEM, O.
WILKINSON, J.D. *see* STONE, N.
WILLIAMS, H.C. & RICH, A. Shin guards for preventing leg ulcer recurrence, 189
WILLIAMS, H.C. *see* CHARMAN, C.R.
WILLIAMS, H.C. *see* POPESCU, R.
WILMER, A. *see* KARAMFILOV, T.
WLOTZKE, U. *see* KARRER, S.
WOJNAROWSKA, F. *see* AZURDIA, R.M.
WOJNAROWSKA, F. *see* FARRELL, A.M.
WOJNAROWSKA, F. *see* FARRELL, A.M.
WOLF, M. *see* KIRTSCHIG, G
WOLF, T. *see* NENOFF, P.
WOLFF, H., KUNTE, C., MESSER, G., RAPPERSBERGER, K., HELD, E., LÖHRS, U., PLEWIG, G. & MEURER, M. Paraneoplastic pemphigus with fatal pulmonary involvement in a woman with a mesenteric Castleman tumour, 313
WOLFF, K. *see* SCHNIDER, P.
WOLKENSTEIN, P. *see* DUMAS, V.
WOLLINA, U. *see* KARAMFILOV, T.
WOLLINA, U. The response of erythematous rosacea to ondansetron, 561
WONG, C.K. *see* CHANG, Y.T.
WONG, T-W. *see* SHEU, H-M.
WONG, T-W., LEE, J.Y-Y., SHEU, H-M. & CHAO, S-C. Relief of pain and itch associated with keloids on treatment with oxpentifylline, 771
WOOD, A.E. *see* GOGGIN, N.
WOODROW, D. *see* FARRELL, A.M.
WOOLFORD, A. *see* WHITTAKER, S.
WOOLLONS, A., KIPP, C., YOUNG, A.R., PETIT-FRÈRE, C., ARLETT, C.F., GREEN, M.H.L. & CLINGEN, P.H. The 0.8% ultraviolet B content of an ultraviolet A sunlamp induces 75% of cyclobutane pyrimidine dimers in human keratinocytes *in vitro*, 1023
WORRET, W-I. *see* MEMPEL, M.

XU, Z. *see* IWATSUKI, K.

YAMADA, T. *see* AMAGAI, M.
YAMAMOTO, O. & ASAHI, M. Cytokeratin expression in trichoblastic fibroma (small nodular type trichoblastoma), trichoepithelioma and basal cell carcinoma, 8
YAMAMOTO, T., KATAYAMA, I. & NISHIOKA, K. Increased serum level of stem cell factor in association with disease progression of hyperpigmented mycosis fungoides, 765

YAMAMURA, Y. *see* NISHIOKA, K.
YAMASHITA, N. *see* FURUE, M.
YANCEY, K.B. *see* HERTL, M.
YANCEY, K.B. *see* TANIUCHI, K.
YASUKAWA, M., SADA, E., MACHINO, H. & FUJITA, S. Reactivation of human herpesvirus 6 in pityriasis rosea. 169
YELL, J.A. *see* TUCKER, S.C.
YOKOI, T. *see* TAMADA, Y.
YOKOZEKI, H. *see* TAKAGAWA, S.
YOMODA, M., INOUE, M., NAKAMA, T., MORI, O., CHEN, K-R. & HASHIMOTO, T. Cutaneous eosinophilic vasculitis associated with rheumatoid arthritis. 754
YONEDA, K. *see* SATOH, S.
YOO, J.H., KANG, D.S. CHUN, W.H., LEE, W.J. & LEE, K.H. Anticonvulsant hypersensitivity syndrome with an epoxide hydrolase defect. 181
YOON, T-Y., LEE, H-T. & CHANG, S-H. Nasal-type T/natural killer cell angiocentric lymphoma, Epstein–Barr virus-associated, and showing clonal T-cell receptor γ gene rearrangement. 504
YOUNG, A.R. *see* WOOLLONS, A.
YOUNG, M.M. *see* O'TOOLE, E.A.
YÜCEL, A. *see* UZUN, S.
YUDATE, F. *see* CHISIKI, M.

ZILLIKENS, D. *see* SCHMIDT, E.
ZILLIKENS, D. *see* SCHUMANN, H.
ZONE, J.J. *see* EGAN, C.A.